WEAKLY NONLOCAL SOLITARY WAVES AND OTHER EXPONENTIALLY SMALL PHENOMENA

Generalized Solitons and Beyond-All-Orders Asymptotics

John P. BOYD
University of Michigan
Ann Arbor, Michigan

KLUWER ACADEMIC PUBLISHERS
Boston/London/Dordrecht

REFERENCES

: n.d.

Abdullah, J.: 1955, The atmospheric solitary wave, *Bulletin of the American Meteorological Society* **10**, 511–518.

Ablowitz, M. J. and Segur, H.: 1981, *Solitons and the Inverse Scattering*, SIAM, Philadelphia, Pennsylvania. Good treatment of classical, exactly integrable solitary waves but nothing about nonlocal solitary waves.

Abramowitz, M. and Stegun, I. A.: 1965, *Handbook of Mathematical Functions*, Dover, New York.

Acton, F.: 1970, *Numerical Methods As They Should Be*, Harper and Row, New York.

Adamson, Jr., T. C. and Richey, G. K.: 1973, Unsteady transonic flows with shock waves in two-dimensional channels, *Journal of Fluied Mechanics* **60**, 363–382.

Afimov, G. L., Eleonsky, V. M., Kulagin, N. E., Lerman, L. M. and Silin, V. P.: 1989, On the existence of nontrivial solutions for the equation $\triangle u - u + u^3 = 0$, *Physica D* **44**, 168–177.

Airey, J. R.: 1937, The "converging factor" in asymptotic series and the calculation of Bessel, Laguerre and other functions, *Philosophical Magazine* **24**, 521–552.

Akylas, T. R.: 1991, On the radiation damping of a solitary wave in a rotating channel, *in* T. Miloh (ed.), *Mathematical Approaches in Hydrodynamics*, SIAM, Philadelphia, Pennsylvania, pp. 175–181.

Akylas, T. R. and Grimshaw, R. H. J.: 1992, Solitary internal waves with oscillatory tails, *Journal of Fluid Mechanics* **242**, 279–298.

Akylas, T. R. and Kung, T.-J.: 1990, On nonlinear wave envelopes of permanent form near a caustic, *Journal of Fluid Mechanics* **214**, 489–502.

Akylas, T. R. and Yang, T.-S.: 1995, On short-scale oscillatory tails of long-wave disturbances, *Studies in Applied Mathematics* **94**, 1–20.

Alvarez, G.: 1988, Coupling-constant behavior of the resonances of the cubic anharmonic oscillator, *Physical Review A* **37**, 4079–4083.

Amick, C. J. and Kirchgässner, K.: 1989, Solitary water-waves in the presence of surface tension, *Archive for Rational Mechanics and Analysis* **105**, 1–49. Derives fourth order ODE (FKdV) equation for water waves through center manifold theory; prove existence of classical soliton for Bond number ¿ 1/3.

Amick, C. J. and McLeod, J. B.: 1990, A singular perturbation problem in needle crystals, *Archive for Rational Mechanics and Analysis* **109**, 139–171.

Amick, C. J. and McLeod, J. B.: 1991, A singular perturbation problem in water waves, *Stability and Applied Analysis in Continuous Media* **1**, 127–148. Proof of the nonexistence of classical solitons for the FKdV equation.

Amick, C. J. and Toland, J.: 1992, Solitary waves with surface tension I: Trajectories homoclinic to periodic orbits in four dimensions, *Archive for Rational Mechanics and Analysis* **118**, 37–69. Existence of weakly nonlocal solitons for the FKdV equation and estimate that the radiation coefficient is smaller than any finite power of ϵ^2, the amplitude of the core.

Amick, C. J., Ching, E. S. C., Kadanoff, L. P. and Rom-Kedar, V.: 1992, Beyond all orders: Singular perturbations in a mapping, *Journal of Nonlinear Science* **2**, 9–67.

Arnold, V. I.: 1978, *Mathematical Methods of Classical Mechanics*, Springer-Verlag, New York. Quote about why series diverge: pg.395.

Arnold, V. I.: 1983, *Geometrical Methods in the Theory of Ordinary Differential Equations*, Springer-Verlag, New York, chapter 17, pp. 110–111. The algorithm of counting the noses to approximate irrational numbers by rational fractions.

Arteca, G. A., Fernandez, F. M. and Castro, E. A.: 1990, *Large Order Perturbation Theory and Summation Methods in Quantum Mechanics*, Springer-Verlag, New York. 642pp.

Baer, F.: 1977, Adjustment of initial conditions required to suppress gravity oscillations in non-linear flows, *Contributions to Atmospheric Physics* **50**, 350–366.

Baer, F. and Tribbia, J. J.: 1977, On complete filtering of gravity modes through nonlinear initialization, *Monthly Weather Review* **105**, 1536–1539.

Bain, M.: 1978, Convergence theorems for Hermite functions and Jacobi polynomials, *Journal of the Institute for Mathematics and its Applications* **21**, 379–386.

Baker, Jr., G. A.: 1965, Padé approximants, *Advances in Theoretical Physics*, number 1 in *Advances in Theoretical Physics*, Academic Press, New York, pp. 1–50.

Baker, Jr., G. A.: 1975, *Essentials of Pade Approximants*, Academic Press, New York. 220 pp.

Balian, R., Parisi, G. and Voros, A.: 1978, Discrepancies from asymptotic series and their relation to complex classical trajectories, *Physical Review Letters* **41**(17), 1141–1144.

Balian, R., Parisi, G. and Voros, A.: 1979, Quartic oscillator, *in* S. Albeverio, P. Combe, R. Hoegh-Krohn, G. Rideau, M. Siruge-Collin, M. Sirugue and R. Stora (eds), *Feynman Path Integrals*, number 106 in *Lecture Notes in Physics*, Springer–Verlag, New York, pp. 337–360.

Banerjee, K.: 1978, Hermite function solution of quantum anharmonic oscillator, *Proceedings Of The Royal Society of London, Series A* (364), 264.

Bank, R. E. and Chan, T. F.: 1986, PLTMGC: A multi-grid continuation program for parameterized nonlinear elliptic systems, *SIAM Journal of Scientific and Statistical Computing* **7**, 540–559.

Beale, J. T.: 1991a, Exact solitary water waves with capillary ripples at infinity, *Communications in Pure and Applied Mathematics* **44**, 211–257.

Beale, J. T.: 1991b, Solitary water waves with ripples beyond all orders, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 293–298.

Bekyarov, K. L. and Christov, C. I.: 1991, Fourier-Galerkin numerical technique for solitary waves of fifth order Korteweg-DeVries equation, *Chaos, Solitons and Fractals* **5**, 423–430. [Rational function spectral method on the infinite interval].

Ben Amar, M. and Combescot, R.: 1991, Saffman-Taylor viscous fingering in a wedge, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 155–173.

Benassi, L., Grecchi, V., Harrell, E. and Simon, B.: 1979, Bender-Wu formula and the Stark effect in hydrogen, *Physical Review Letters* **42**, 704–707.

Bender, C. M. and Orszag, S. A.: 1978, *Advanced Mathematical Methods for Scientists and Engineers*, McGraw-Hill, New York. 594 pp.

Benilov, E., Grimshaw, R. H. and Kuznetsova, E.: 1993, The generation of radiating waves in a singularly perturbed Korteweg-deVries equation, *Physica D* **69**, 270–276.

Berman, A. S.: 1953, Laminar flow in channel with porous walls, *Journal of Applied Physics* **24**, 1232–1235.

Berry, M. V.: 1989a, Stokes' phenomenon; smoothing a Victorian discontinuity, *Publicationes Mathematiques IHES* **68**, 211–221.

Berry, M. V.: 1989b, Uniform asymptotic smoothing of Stokes's discontinuities, *Proceedings of the Royal Society of London A* **422**, 7–21.

Berry, M. V.: 1990a, Waves near Stokes lines, *Proceedings of the Royal Society of London A* **427**, 265–280.

Berry, M. V.: 1990b, Histories of adiabatic quantum transitions, *Proceedings of the Royal Society of London A* **429**, 61–72.

Berry, M. V.: 1991a, Infinitely many Stokes smoothings in the Gamma function, *Proceedings of the Royal Society of London A* **434**, 465–472.

Berry, M. V.: 1991b, Stokes phenomenon for superfactorial asymptotic series, *Proceedings of the Royal Society of London A* **435**, 437–444.

Berry, M. V.: 1991c, Asymptotics, superasymptotics, hyperasymptotics, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 1–14.

Berry, M. V.: 1994a, Faster than Fourier, *in* J. S. Auandan and J. L. Safko (eds), *Quantum Coherence and Reality: in Celebration of the 60th Birthday of Yakir Aharonov*, World Scientific, Singapore.

Berry, M. V.: 1994b, Evanescent and real waves in quantum billiards and Gaussian beams, *Journal of Physics A* **27**, L391–L398.

Berry, M. V.: 1994c, Asymptotics, singularities and the reduction of theories, *in* D. Prawitz, B. Skyrms and D. Westerståhl (eds), *Logic, Methodology and Philosophy of Science IX*, Elsevier, Amsterdam, pp. 597–607.

Berry, M. V.: 1995, Riemann-Siegel expansion for the zeta function: high orders and remainders, *Proceedings of the Royal Society of London A*. submitted.

Berry, M. V. and Howls, C. J.: 1990a, Hyperasymptotics, *Proceedings of the Royal Society of London A* **430**, 653–668.

Berry, M. V. and Howls, C. J.: 1990b, Stokes surfaces of diffraction catastrophes with codimension three, *Nonlinearity* **3**, 281–291.

Berry, M. V. and Howls, C. J.: 1990c, Fake Airy functions and the asymptotics of reflectionlessness, *Journal of Physics A: Mathematics and General* **23**, L243–L246.

Berry, M. V. and Howls, C. J.: 1991, Hyperasymptotics for integrals with saddles, *Proceedings of the Royal Society of London A* **434**, 657–675.

Berry, M. V. and Howls, C. J.: 1993a, Unfolding the high orders of asymptotic expansions with coalescing saddles: Singularity theory, crossover and duality, *Proceedings of the Royal Society of London A* **443**, 107–126.

Berry, M. V. and Howls, C. J.: 1993b, Infinity interpreted, *Physics World* pp. 35–39.

Berry, M. V. and Howls, C. J.: 1994a, Overlapping Stokes smoothings: survival of the error function and canonical catastrophe integrals, *Proceedings of the Royal Society of London A* **444**, 201–216.

Berry, M. V. and Howls, C. J.: 1994b, High orders of the Weyl expansion for quantum billiards: Resurgence of periodic orbits, and the Stokes phenomenon, *Proceedings of the Royal Society of London A* **447**, 527–555.

Berry, M. V. and Keating, J. P.: 1992, A new approximation for $\zeta(1/2 + it)$ and quantum spectral determinant, *Proceedings of the Royal Society of London A* **437**, 151–173.

Berry, M. V. and Lim, R.: 1993, Universal transition prefactors derived by superadiabatic renormalization, *Journal of Physica A, Mathematics and General* **26**, 4737–4747.

Bhattacharyya, K.: 1981, Notes on polynomial perturbation problems, *Chemical Physics Letters* **80**, 257–261.

Bhattacharyya, K. and Bhattacharyya, S. P.: 1980, The sign–change argument revisited, *Chemical Physics Letters* **76**, 117–119.

Bhattacharyya, K. and Bhattacharyya, S. P.: 1981, Reply to "another attack on the sign–change argument", *Chemical Physics Letters* **80**, 604–605.

Bohé, A.: 1990, Free layers in a singularly perturbed boundary value problem, *SIAM Journal of Mathematical Analysis* **21**, 1264–1280.

Bohé, A.: 1994, *Methods and Applications of Analysis* **1**, 249–269.

Boyd, J. P.: 1976, The noninteraction of waves with the zonally averaged flow on a spherical earth and the interrelationships of eddy fluxes of heat, energy, and momentum, *Journal of the Atmospheric Sciences* **33**, 2285–2291.

Boyd, J. P.: 1978a, A Chebyshev polynomial method for computing analytic solutions to eigenvalue problems with application to the anharmonic oscillator, *Journal of Mathematical Physics* **19**, 1445–1456.

Boyd, J. P.: 1978b, The choice of spectral functions on a sphere for boundary and eigenvalue problems: A comparison of Chebyshev, Fourier and associated Legendre expansions, *Monthly Weather Review* **106**, 1184–1191.

Boyd, J. P.: 1978c, Spectral and pseudospectral methods for eigenvalue and nonseparable boundary value problems, *Monthly Weather Review* **106**, 1192–1203.

Boyd, J. P.: 1978d, The effects of latitudinal shear on equatorial waves, Part I: Theory and methods, *Journal of the Atmospheric Sciences* **35**, 2236–2258.

Boyd, J. P.: 1978e, The effects of latitudinal shear on equatorial waves, Part II: Applications to the atmosphere, *Journal of the Atmospheric Sciences* **35**, 2259–2267.

Boyd, J. P.: 1980a, The nonlinear equatorial Kelvin wave, *Journal of Physical Oceanography* **10**, 1–11.

Boyd, J. P.: 1980b, The rate of convergence of Hermite function series, *Mathematics of Computation* **35**, 1309–1316.

Boyd, J. P.: 1980c, Equatorial solitary waves, Part I: Rossby solitons, *Journal of Physical Oceanography* **10**, 1699–1718.

Boyd, J. P.: 1981a, A Sturm-Liouville eigenproblem with an interior pole, *Journal of Physical Oceanography* **22**, 1575–1590. [Background on waves with critical points; nothing on spectral methods.].

Boyd, J. P.: 1981b, The rate of convergence of Chebyshev polynomials for functions which have asymptotic power series about one endpoint, *Journal of Physical Oceanography* **37**, 189–196.

Boyd, J. P.: 1981c, Analytical approximations to the modon dispersion relation, *Dynamics of Atmospheres and Oceans* **6**, 97–101.

Boyd, J. P.: 1981d, The Moonbow, *Isaac Asimov's SF Mag.* **5**, 18–37. [Properties of a toroidal world.].

Boyd, J. P.: 1982a, The optimization of convergence for Chebyshev polynomial methods in an unbounded domain, *Journal of Computational Physics* **45**, 43–79. [Infinite and semi-infinite intervals; guidelines for choosing the map parameter or domain size L.].

Boyd, J. P.: 1982b, The effects of meridional shear on planetary waves, Part I: Nonsingular profiles, *Journal of the Atmospheric Sciences* **39**, 756–769.

Boyd, J. P.: 1982c, The effects of meridional shear on planetary waves, Part II: Critical latitudes, *Journal of the Atmospheric Sciences* **39**, 770–790. [First application of cubic-plus-linear mapping with spectral methods. The detour procedure of Boyd (1985a) is better in this context.].

Boyd, J. P.: 1982d, A Chebyshev polynomial rate-of-convergence theorem for Stieltjes functions, *Mathematics of Computation* **39**, 201–206.

Boyd, J. P.: 1982e, Theta functions, Gaussian series, and spatially periodic solutions of the Korteweg-de Vries equation, *Journal of Mathematical Physics* **23**, 375–387.

Boyd, J. P.: 1983a, Equatorial solitary waves, Part II: Envelope solitons, *Journal of Physical Oceanography* **13**, 428–449. [This and the next two papers use Hermite series to solve linear, separable equations in perturbation theory for nonlinear waves.].

Boyd, J. P.: 1983b, Long wave/short wave resonance in equatorial waves, *Journal of Physical Oceanography* **13**, 450–458.

Boyd, J. P.: 1983c, Second harmonic resonance for equatorial waves, *Journal of Physical Oceanography* **13**, 459–466.

Boyd, J. P.: 1983d, The continuous spectrum of linear Couette flow with the beta effect, *Journal of the Atmospheric Sciences* **40**, 2304–2308.

Boyd, J. P.: 1984a, The asymptotic coefficients of Hermite series, *Journal of Computational Physics* **54**, 382–410.

Boyd, J. P.: 1984b, Equatorial solitary waves, Part IV: Kelvin solitons in a shear flow, *Dynamics of Atmospheres and Oceans* **8**, 173–184.

Boyd, J. P.: 1984c, Cnoidal waves as exact sums of repeated solitary waves: New series for elliptic functions, *SIAM Journal of Applied Mathematics* **44**, 952–955. [Imbricate series for nonlinear waves].

Boyd, J. P.: 1984d, The double cnoidal wave of the Korteweg-de Vries equation: An overview, *Journal of the Mathematical Physics* **25**, 3390–3401.

Boyd, J. P.: 1984e, Perturbation theory for the double cnoidal wave of the Korteweg-de Vries equation, *Journal of the Mathematical Physics* **25**, 3402–3414.

Boyd, J. P.: 1984f, The special modular transformation for the polycnoidal waves of the Korteweg-de Vries equation, *Journal of the Mathematical Physics* **25**, 3390–3401.

Boyd, J. P.: 1984g, Earthflight, *in* S. Shwarz (ed.), *Habitats*, DAW, New York, pp. 201–218. [Toroidal planet.].

Boyd, J. P.: 1985a, Complex coordinate methods for hydrodynamic instabilities and Sturm-Liouville problems with an interior singularity, *Journal of Computational Physics* **57**, 454–471.

Boyd, J. P.: 1985b, Equatorial solitary waves, Part 3: Modons, *Journal of Physical Oceanography* **15**, 46–54.

Boyd, J. P.: 1985c, An analytical and numerical study of the two-dimensional Bratu equation, *Journal of Scientific Computing* **1**, 183–206. [Nonlinear eigenvalue problem with 8-fold symmetry].

Boyd, J. P.: 1985d, Barotropic equatorial waves: The non-uniformity of the equatorial beta-plane, *Journal of the Atmospheric Sciences* **42**, 1965–1967.

Boyd, J. P.: 1986a, Solitons from sine waves: analytical and numerical methods for non-integrable solitary and cnoidal waves, *Physica D* **21**, 227–246. [Fourier pseudospectral with continuation and the Newton-Kantorovich iteration].

Boyd, J. P.: 1986b, Polynomial series versus sinc expansions for functions with corner or endpoint singularities, *Journal of Computational Physics* **64**, 266–269.

Boyd, J. P.: 1987a, Exponentially convergent Fourier/Chebyshev quadrature schemes on bounded and infinite intervals, *Journal of Scientific Computing* **2**, 99–109.

Boyd, J. P.: 1987b, Spectral methods using rational basis functions on an infinite interval, *Journal of Computational Physics* **69**, 112–142.

Boyd, J. P.: 1987c, Orthogonal rational functions on a semi-infinite interval, *Journal of Computational Physics* **70**, 63–88.

Boyd, J. P.: 1987d, Generalized solitary and cnoidal waves, *in* G. Brantstator, J. J. Tribbia and R. Madden (eds), *NCAR Colloquium on Low Frequency Variability in the Atmosphere*, National Center for Atmospheric Research, Boulder, Colorado, pp. 717–722. Numerical calculation of the exponentially small wings of the ϕ^4 breather.

Boyd, J. P.: 1987e, Periodic solutions generated by solitons for the quartically nonlinear Korteweg-deVries equation, *ZAMP* **40**, 940–944. Imbrication of solitary wave generates good *approximate* periodic solutions.

Boyd, J. P.: 1988a, Chebyshev domain truncation is inferior to Fourier domain truncation for solving problems on an infinite interval, *Journal of Scientific Computing* **3**, 109–120.

Boyd, J. P.: 1988b, An analytical solution for a nonlinear differential equation with logarithmic decay, *Advances in Applied Mathematics* **9**, 358–363.

Boyd, J. P.: 1988c, Summation methods and pseudospectral algorithms, Part I: Finite difference summation of Whittaker cardinal (sinc) series, *Journal of Computational Physics*. Submitted.

Boyd, J. P.: 1988d, The superiority of Fourier domain truncation to Chebyshev domain truncation for solving problems on an infinite interval, *Journal of Scientific Computing* **3**, 109–120.

Boyd, J. P.: 1989a, *Chebyshev and Fourier Spectral Methods*, Springer-Verlag, New York. 792 pp.

Boyd, J. P.: 1989b, New directions in solitons and nonlinear periodic waves: Polycnoidal waves, imbricated solitons, weakly non-local solitary waves and numerical boundary value algorithms, *in* T.-Y. Wu and J. W. Hutchinson (eds), *Advances in Applied Mechanics*, number 27 in *Advances in Applied Mechanics*, Academic Press, New York, pp. 1–82.

Boyd, J. P.: 1989c, Periodic solutions generated by superposition of solitary waves for the quarticly nonlinear Korteweg-de Vries equation, *ZAMP* **40**, 940–944.

Boyd, J. P.: 1989d, Theasymptotic Chebyshev coefficients for functions with logarithmic endpoint singularities, *Applied Mathematics and Computation* **29**, 49–67.

Boyd, J. P.: 1989e, Non-local equatorial solitary waves, *in* J. C. J. Nihoul and B. M. Jamart (eds), *Mesoscale/Synoptic Coherent Structures in Geophysical Turbulence: Proc. 20th Liege Coll. on Hydrodynamics*, Elsevier, Amsterdam, pp. 103–112.

Boyd, J. P.: 1990a, The orthogonal rational functions of Higgins and Christov and Chebyshev polynomials, *Journal of Approximation Theory* **61**, 98–103.

Boyd, J. P.: 1990b, A numerical calculation of a weakly non-local solitary wave: the ϕ^4 breather, *Nonlinearity* **3**, 177–195.

Boyd, J. P.: 1990c, The envelope of the error for Chebyshev and Fourier interpolation, *Journal of Scientific Computing* **5**, 311–363.

Boyd, J. P.: 1990d, A Chebyshev/radiation function pseudospectral method for wave scattering, *Computers in Physics* **4**, 83–85.

Boyd, J. P.: 1991a, A comparison of numerical and analytical methods for the reduced wave equation with multiple spatial scales, *Applied Numerical Mathematics* **7**, 453–479.

Boyd, J. P.: 1991b, Monopolar and dipolar vortex solitons in two space dimensions, *Wave Motion* **57**, 223–243.

Boyd, J. P.: 1991c, Nonlinear equatorial waves, *in* A. R. Osborne (ed.), *Nonlinear Topics of Ocean Physics: Fermi Summer School, Course LIX*, North-Holland, Amsterdam, pp. 51–97.

Boyd, J. P.: 1991d, Weakly nonlocal solitary waves, *in* A. R. Osborne (ed.), *Nonlinear Topics of Ocean Physics: Fermi Summer School, Course LIX*, North-Holland, Amsterdam, pp. 527–556.

Boyd, J. P.: 1991e, Weakly non-local solitons for capillary-gravity waves: Fifth-degree Korteweg-de Vries equation, *Physica D* **48**, 129–146.

Boyd, J. P.: 1991f, Sum-accelerated pseudospectral methods: The Euler-accelerated sinc algorithm, *Applied Numerical Mathematics* **7**, 287–296.

Boyd, J. P.: 1992a, The arctan/tan and Kepler-Burger mappings for periodic solutions with a shock, front, or internal boundary layer, *Journal of Computational Physics* **98**, 181–193. [Numerical trick which is useful for solitary waves and cnoidal waves].

Boyd, J. P.: 1992b, The energy spectrum of fronts: The time evolution of shocks in Burgers' equation, *Journal of the Atmospheric Sciences* **49**, 128–139.

Boyd, J. P.: 1992c, Multipole expansions and pseudospectral cardinal functions: A new generalization of the Fast Fourier Transform, *Journal of Computational Physics* **102**, 184–186.

Boyd, J. P.: 1992d, A fast algorithm for Chebyshev and Fourier interpolation onto an irregular grid, *Journal of Computational Physics* **103**, 243–257.

Boyd, J. P.: 1992e, Defeating the Runge phenomenon for equispaced polynomial interpolation via Tikhonov regularization, *Applied Mathematics Letters* **5**, 57–59.

Boyd, J. P.: 1993a, Chebyshev and Legendre spectral methods in algebraic manipulation languages, *Journal of Symbolic Computing* **16**, 377–399.

Boyd, J. P.: 1994a, Hyperviscous shock layers and diffusion zones: Monotonicity, spectral viscosity, and pseudospectral methods for high order differential equations, *Journal of Scientific Computing* **9**, 81–106.

Boyd, J. P.: 1994b, The rate of convergence of Fourier coefficients for entire functions of infinite order with application to the Weideman-Cloot sinh-mapping for pseudospectral computations on an infinite interval, *Journal of Computational Physics* **110**, 360–372.

Boyd, J. P.: 1994c, The slow manifold of a five mode model, *Journal of the Atmospheric Sciences* **51**, 1057–1064.

Boyd, J. P.: 1994d, Nonlocal modons on the beta-plane, *Geophysical and Astrophysical Fluid Dynamics* **75**, 163–182.

Boyd, J. P.: 1994e, Time-marching on the slow manifold: The relationship between the nonlinear Galerkin method and implicit timestepping algorithms, *Applied Mathematics Letters* **7**, 95–99.

Boyd, J. P.: 1994f, Sum-accelerated pseudospectral methods: Finite differences and sech-weighted differences, *Computer Methods in Applied Mechanics and Engineering* **116**, 1–11.

Boyd, J. P.: 1995a, The periodic generalization of Camassa-Holm "peakons": An exact superposition of solitary waves, *Applied Mathematics and Computation.* in proof.

Boyd, J. P.: 1995b, Weakly nonlocal envelope solitary waves: Numerical calculations for the Klein-Gordon (ϕ^4) equation, *Wave Motion* **21**, 311–330.

Boyd, J. P.: 1995c, A hyperasymptotic perturbative method for computing the radiation coefficient for weakly nonlocal solitary waves, *Journal of Computational Physics* **120**, 15–32.

Boyd, J. P.: 1995d, Eight definitions of the slow manifold: Seiches, pseudoseiches and exponential smallness, *Dynamics of Atmospheres and Oceans* **22**, 49–75.

Boyd, J. P.: 1995e, The devil's invention: Asymptotics, superasymptotics and hyperasymptotics, *Acta Applicandae*. submitted.

Boyd, J. P.: 1995f, A lag-averaged generalization of Euler's method for accelerating series, *Applied Mathematics and Computation* **72**, 146–166.

Boyd, J. P.: 1995g, A Chebyshev polynomial interval-searching method ("Lanczos economization") for solving a nonlinear equation with application to the nonlinear eigenvalue problem, *Journal of Computational Physics* **118**, 1–8.

Boyd, J. P.: 1995h, Multiple precision pseudospectral computations of the radiation coefficient for weakly nonlocal solitary waves: Fifth-Order Korteweg-deVries equation, *Computers in Physics* **9**, 324–334.

Boyd, J. P.: 1996a, Radiative decay of weakly nonlocal solitary waves, *Wave Motion*.

Boyd, J. P.: 1996b, Asymptotic Chebyshev coefficients for two functions with very rapidly or very slowly divergent power series about one endpoint, *Applied Mathematics Letters* **9**(2), 11–15.

Boyd, J. P.: 1996c, Traps and snares in eigenvalue calculations with application to pseudospectral computations of ocean tides in a basin bounded by meridians, *Journal of Computational Physics* **126**, 11–20.

Boyd, J. P.: 1996d, High order models for the nonlinear shallow water wave equations on the equatorial beta-plane fwith application to kelvin wave frontogenesis, *Journal of Physical Oceanography*.

Boyd, J. P.: 1996e, Construction of Lighthill's unitary functions: The imbricate series of unity, *Applied Mathematics and Computation*. In press.

Boyd, J. P.: 1996f, The Erfc-Log filter and the asymptotics of the Vandeven and Euler sequence accelerations, *in* A. V. Ilin and L. R. Scott (eds), *Proceedings of the Third International Conference on Spectral and High Order Methods*, Houston Journal of Mathematics, Houston, Texas, pp. 267–276.

Boyd, J. P.: 1996g, Numerical computations of a nearly singular nonlinear equation: Weakly nonlocal bound states of solitons for the Fifth-Order Korteweg-deVries equation, *Journal of Computational Physics* **124**, 55–70.

Boyd, J. P.: 1997a, Two comments on filtering, *Journal of Computational Physics*. To be submitted.

Boyd, J. P.: 1997b, Pseudospectral/Delves-Freeman computations of the radiation coefficient for weakly nonlocal solitary waves of the Third Order Nonlinear Schroedinger Equation and their relation to hyperasymptotic perturbation theory, *Journal of Computational Physics*. Submitted.

Boyd, J. P.: 1997c, Padé approximant algorithm for solving nonlinear ode boundary value problems on an unbounded domain, *Computers and Physics*. Submitted.

Boyd, J. P. and Christidis, Z. D.: 1982, Low wavenumber instability on the equatorial beta-plane, *Geophysical Research Letters* **9**, 769–772.

Boyd, J. P. and Christidis, Z. D.: 1983, Instability on the equatorial beta-plane, *in* J. Nihoul (ed.), *Hydrodynamics of the Equatorial Ocean*, Elsevier, Amsterdam, pp. 339–351.

Boyd, J. P. and Christidis, Z. D.: 1987, The continuous spectrum of equatorial Rossby waves in a shear flow, *Dynamics of Atmospheres and Oceans* **11**, 139–151.

Boyd, J. P. and Haupt, S. E.: 1991, Polycnoidal waves: Spatially periodic generalizations of multiple solitary waves, *in* A. R. Osborne (ed.), *Nonlinear Topics of Ocean Physics: Fermi Summer School, Course LIX*, North-Holland, Amsterdam, pp. 827–856.

Boyd, J. P. and Ma, H.: 1990, Numerical study of elliptical modons by a spectral method, *Journal of Fluid Mechanics* **221**, 597–611.

Boyd, J. P. and Moore, D. W.: 1986, Summability methods for Hermite functions, *Dynamics of Atmospheres and Oceans* **10**, 51–62. Numerical.

Boyd, W. G. C.: 1990e, Stieltjes transforms and the Stokes phenomenon, *Proceedings of the Royal Society of London A* **429**, 227–246.

Boyd, W. G. C.: 1993b, Error bounds for the method of steepest descents, *Proceedings of the Royal Society of London A* **440**, 493–516.

Boyd, W. G. C.: 1993c, Gamma function asymptotics by an extension of the method of steepest descents, *Proceedings of the Royal Society of London A* **447**, 609–630.

Branis, S. V., Martin, O. and Birman, J. L.: 1991, Self-induced transparency selects discrete velocities for solitary-wave solutions., *Physical Review A* **43**, 1549–1563.

Brazel, N., Lawless, F. and Wood, A. D.: 1992, Exponential asymptotics for an eigenvalue of a problem involving parabolic cylinder functions, *Proceedings of the American Mathematical Society* **114**, 1025–1032.

Brenan, K. E., Campbell, S. L. and Petzold, L. R.: 1989, *Numerical Solution of Initial Value Problems in Differential-Algebraic Systems*, North-Holland, Amsterdam.

Bulakh, B. M.: 1964, On higher approximations in the boundary-layer theory, *Journal of Apllied Mathematics and Mechanics* **28**, 675–681.

Buryak, A. V.: 1995, Stationary soliton bound states existing in resonance with linear waves, *Physical Review E* **52**, 1156–1163.

Burzlaff, J. and Wood, A. D.: 1991, Optical tunneling from a one-dimensional square-well potential, *IMA Journal of Applied Mathematics* **47**, 207–215.

Byatt-Smith, J. G. and Davie, A. M.: 1990, Exponential small oscillations in the solution of an ordinary differential equation, *Proceedings of the Royal Society of Edinburgh A* **114**, 243–.

Byatt-Smith, J. G. and Davie, A. M.: 1991, Exponentially small oscillations in the solution of an ordinary differential equation, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 223–240.

Calvo, D. C. and Akylas, T. R.: 1997, The formation of bound states by interacting nonlocal solitary waves, *Physica D*. Bound states ("multi-bump") solutions to both the FKdV and TNLS equations.

Camassa, R.: 1995, On the geometry of an atmospheric slow manifold, *Physica D* **84**, 357–397.

Canuto, C., Hussaini, M. Y., Quarteroni, A. and Zang, T. A.: 1987, *Spectral Methods for Fluid Dynamics*, Springer-Verlag, New York.

Carr, J.: 1992, Slowly varying solutions of a nonlinear partial differential equation, *in* D. S. Broomhead and A. Iserles (eds), *The Dynamics of Numerics and the Numerics of Dynamics*, Oxford University Press, Oxford, pp. 23–30.

Carr, J. and Pego, R. L.: 1989, Metastable patterns in solutions of $u_t = \epsilon^2 u_{xx} - f(u)$, *Communications in Pure and Applied Mathematics* **42**, 523–576.

Carrier, G. F. and Pearson, C. E.: 1968, *Ordinary Differential Equations*, Blaisdell, Waltham, MA. 229 pp.

Champneys, A. R. and Lord, G. J.: 1995, Computation of homoclinic solutions to periodic orbits in a reduced water-wave problem, *Technical Report 10.95*, University of Bristol. Bound state ("multi-bump") solutions to the Fifth-Order Korteweg-deVries equation, both symmetric and asymmetric.

Chan, T. F.: 1984, Newton-like pseudo-arclength methods for computing simple turning points, *SIAM Journal of Scientific and Statistical Computing* **5**, 135–148.

Chang, Y.-H.: 1991, Proof of an asymptotic symmetry of the rapidly forced pendulum, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 213–221.

Chang, Y.-H. and Segur, H.: 1991, An asymptotic symmetry of the rapidly forced pendulum, *Physica D* **51**, 109–118.

Chester, W. and Breach, D. R.: 1969, On the flow past a sphere at low reynolds number, *Journal of Fluid Mechanics* **37**, 751–760.

Christov, C. I. and Bekyarov, K. L.: 1990, A Fourier-series method for solving soliton problems, *SIAM Journal of Scientific and Statistical Computing* **11**, 631–647. [Rational functions on the infinite interval.].

Chu, M. T.: 1988, On the continuous realization of iterative processes, *SIAM Review* **30**, 375–387. [Differential equations in pseudotime as models for Newton's and other iterations.].

Ciasullo, L. M. and Cochran, J. A.: 1990, Accelerating the convergence of Chebyshev series, *in* R. Wong (ed.), *Asymptotic and Computational Analysis*, Marcel Dekker, New York, pp. 95–136.

Cizek, J. and Vrscay, E. R.: 1982, Large order perturbation theory in the context of atomic and molecular physics — interdisciplinary aspects, *International Journal of Quantum Chemistry* **21**, 27–68.

Cizek, J., Damburg, R. J., Graffi, S., Grecchi, V., II, E. M. H., Harris, J. G., Nakai, S., Paldus, J., Propin, R. K. and Silverstone, H. J.: 1986, 1/R expansion for H_2^+: Calculation of exponentially small terms and asymptotics, *Physical Review A* **33**, 12–54.

Clenshaw, C. W.: 1954, Polynomial approximations to elementary functions, *Mathematical Tables and other Aids to Computation* **8**, 143–147.

Clenshaw, C. W.: 1955, A note on the summation of Chebyshev series, *Mathematical Tables and other Aids to Computation* **9**, 118–120.

Clenshaw, C. W.: 1957, The numerical solution of linear differential equations in Chebyshev series, *Proceedings of the Cambridge Philosophical Society* **53**, 134–149.

Clenshaw, C. W.: 1962, *Mathematical Tables, Volume 5: Chebyshev Series for Mathematical Functions*, Her Majesty's Stationery Office, London, pp. 1–16.

Clenshaw, C. W.: n.d., The solution of van der Pol's equation in Chebyshev series, *in* D. Greenspan (ed.), *Numerical Solutions of Nonlinear Differential Equations*, John Wiley, New York, pp. 55–63.

Clenshaw, C. W. and Curtis, A. R.: 1960, A method for numerical integration on an automatic computer, *Numerische Mathematik* **2**, 197–205.

Clenshaw, C. W. and Norton, H. J.: 1963, The solution of non-linear differential equations in Chebyshev series, *Computer Journal* pp. 88–92.

Clenshaw, C. W. and Picken, S. M.: 1966, *Chebyshev series for Bessel functions of fractional order*, Her Majesty's Stationery Office, pp. 1–7.

Cloot, A.: 1991, Equidistributing mapping and spectral method for the computation on unbounded domains, *Applied Mathematics Letters* **4**, 23–27.

Cloot, A. and Weideman, J. A. C.: 1992, An adaptive algorithm for spectral computations on unbounded domains, *Journal of Computational Physics* **102**, 398–406.

Cloot, A., Herbst, B. M. and Weideman, J. A. C.: 1990, A numerical study of the cubic-quintic Schrodinger equation, *Journal of Computational Physics* **86**, 127–146.

Combescot, R., Dombe, T., Hakim, V. and Pomeau, Y.: 1986, Shape selection of Saffman-Taylor fingers, *Physical Review Letters* **56**, 2036–2039.

Conte, S. D. and de Boor, C.: 1980, *Elementary Numerical Analysis*, 3 edn, McGraw-Hill, New York. 250 pp.

Coustias, E. A. and Segur, H.: 1991, A new formulation for dendritic crystal growth in two dimensions, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 87–104.

Cox, S. M.: 1991, Two-dimensional flow of a viscous fluid in a channel with porous walls, *Journal of Fluid Mechanics* **227**, 1–33.

Cuyt, A. and Wuytack, L.: 1987, *Nonlinear Methods in Numerical Analysis*, North-Holland, Amsterdam.

Daley, R.: 1991, *Atmospheric Data Analysis*, Cambridge University Press, New York. Nothing about solitons, but good background on the "slow manifold".

Darboux, M. G.: 1878a, Mémoire sur l'approximation des fonctions de très-grands nombres, et sur une classe étendue de développements en série, *Journal of Mathematiques Pures Appliques* **4**, 5–56.

Darboux, M. G.: 1878b, Mémoire sur l'approximation des fonctions de très-grands nombres, et sur une classe étendue de développements en série, *Journal of Mathematiques Pures Appliques* **4**, 377–416.

Dashen, R. F., Hasslacher, B. and Neveu, A.: 1975, Particle spectrum in model field theories from semiclassical functional integral techniques, *Physical Review D* **11**, 3424–3450. ϕ^4 breathers; multiple scales perturbation theory.

Davidenko, D.: 1953a, On a new method of numerically integrating a system of nonlinear equations, *Doklady Akademie Nauk SSSR* **88**, 601–604.

Davidenko, D.: 1953b, On the approximate solution of a system of nonlinear equations, *Ukraine Mat. Zurnal* **5**, 196–206.

Davis, P. J.: 1975, *Interpolation and Approximation*, Dover Publications, New York. 200 pp.

de Bruijn, N. G.: 1981, *Asymptotic Methods in Analysis*, 3 edn, Dover, New York. Mixed series of logarithms and powers, illustrated by a cousin of the Lambert W-function. Nothing about nonlocal solitons.

Decker, D. W. and Keller, H. B.: 1980, Path following near bifurcation, *Communications in Pure and Applied Mathematics* **34**, 149–175. Solving systems of nonlinear equations and shooting the bifurcation point.

Dennis, Jr., J. E. and Schnabel, R. B.: 1983, *Numerical Methods for Nonlinear Equations and Unconstrained Optimization*, Prentice-Hall, Englewood Cliffs, New Jersey.

Dias, F.: 1994, Capillary-gravity periodic and solitary waves, *Physics of Fluids* **6**, 2239–2241.

Dias, F., Menasce, D. and Vanden-Broeck, J.-M.: 1996, Numerical study of capillary-gravity solitary waves, *???*

Dickinson, R. E.: 1980, Seminar.

Dingle, R. B.: 1948, *Proceedings of the Cambridge Philosophical Society* **45**, 275–287.

Dingle, R. B.: 1952, *Advances in Physics* **1**, 111–168.

Dingle, R. B.: 1955a, Asymptotics, *Applied Scientific Research B* **4**, 401–410.

Dingle, R. B.: 1955b, Asymptotics, *Applied Scientific Research B* **4**, 411–420.

Dingle, R. B.: 1955c, Asymptotics of integrals, *Philosophical Magazine* **7**, 831–840.

Dingle, R. B.: 1956, The method of comparison equations in the solution of linear second-order differential equations(generalized W. K. B. method, *Applied Scientific Research B* **5**, 345–367.

Dingle, R. B.: 1957a, The Fermi-Dirac integrals, *Applied Scientific Research B* **6**, 225–239.

Dingle, R. B.: 1957b, The Bose-Einstein integrals, *Applied Scientific Research B* **6**, 240–244.

Dingle, R. B.: 1958a, Asymptotic expansions and converging factors I. General theory and basic converging factors, *Proceedings of the Royal Society of London A* **244**, 456–475.

Dingle, R. B.: 1958b, Asymptotic expansions and converging factors IV. Confluent hypergeometric, parabolic cylinder, modified Bessel and ordinary Bessel functions, *Proceedings of the Royal Society of London A* **249**, 270–283.

Dingle, R. B.: 1958c, Asymptotic expansions and converging factors II. Error, Dawson, Fresnel, exponential, sine and cosine, and similar integrals, *Proceedings of the Royal Society of London A* **244**, 476–483.

Dingle, R. B.: 1958d, Asymptotic expansions and converging factors V. Lommel, Struve, modified Struve, Anger and Weber functions, and integrals of ordinary and modified Bessel functions, *Proceedings of the Royal Society of London A* **249**, 284–292.

Dingle, R. B.: 1958e, Asymptotic expansions and converging factors III. Gamma, psi and polygamma functions, and Fermi-Dirac and Bose-Einstein integrals, *Proceedings of the Royal Society of London A* **244**, 484–490.

Dingle, R. B.: 1958f, Asymptotic expansions and converging factors VI. Application to physical prediction, *Proceedings of the Royal Society of London A* **249**, 293–295.

Dingle, R. B.: 1962, *Buletinul institutului politehnic din Iasi* **8**, 53–60.

Dingle, R. B.: 1965, *Proceedings of the Physical Society* **86**, 1366–1368.

Dingle, R. B.: 1973, *Asymptotic Expansions: Their Derivation and Interpretation*, Academic, New York.

Dingle, R. B., Arndt, D. and Roy, S. K.: 1957a, Integrals, *Applied Scientific Research B* **6**, 144–.

Dingle, R. B., Arndt, D. and Roy, S. K.: 1957b, The integrals $(p!)^{-1}\int_0^\infty \epsilon^p(1+x\epsilon^3)^{-1}\exp(-\epsilon)d\epsilon$ and $(p!)^{-1}\int_0^\infty \epsilon^p(1+x\epsilon^3)^{-2}\exp(-\epsilon)d\epsilon$ and their tabulation, *Applied Scientific Research B* **6**, 245–252.

Dingle, R. B., Arndt, D. and Roy, S. K.: n.d., Integrals, journal = Applied Scientific Research B, year = 1957, volume = 6, number = , pages = 155–, month = , note = ,.

Dodd, R. K., Eilbeck, J. C., Gibbon, J. D. and Morris, H. C.: 1982, *Solitons and Nonlinear Wave Equations*, Academic Press, New York.

Doedel, E., Keller, H. B. and Kernevez, J. P.: 1991a, Numerical analysis and control of bifurcation problems (i) bifurcation in finite dimensions, *International Journal of Bifurcation and Chaos* **1**, 493–520.

Doedel, E., Keller, H. B. and Kernevez, J. P.: 1991b, Numerical analysis and control of bifurcation problems (ii) bifurcation in infinite dimensions, *International Journal of Bifurcation and Chaos* **1**, 745–772.

Domaracki, A. and Loesch, A.: 1977, Dynamics of closed systems of resonantly interacting equatorial waves, *Journal of the Atmospheric Sciences* **34**, 486–498.

Domaradzki, J. A. and Orszag, S. A.: 1987, Numerical solutions of the direct interaction approximation equations for anisotropic turbulence, *Journal of Scientific Computing* **2**, 227–248.

Donaldson, J. D. and Elliott, D.: 1972, Estimating contour integrals, *SIAM Journal of Numerical Analysis* **9**, 573–602.

Dumas, H. S.: 1991, Existence and stability of particle channeling in crystals on timescales beyond all orders, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 267–273.

Dumas, H. S.: 1993, A Nekhoroshev-like theory of classical particle channeling in perfect crystals, *Dynamics Reported* **2**, 69–115.

Dumas, H. S. and Ellison, J. A.: 1991, Nekhoroshev's theorem, ergodicity, and the motion of energetic charged particles in crystals, *in* J. A. Ellison and H. Überall (eds), *Essays on Classical and Quantum Dynamics*, Gordon and Breach, Philadelphia, pp. 17–56.

Durran, D. R.: 1991, The third-order Adams-Bashforth method: an attractive alternative to leapfrog time-differencing, *Monthly Weather Review* **119**, 702–720.

D'yakonov, E. G.: 1961, An iteration scheme, *Dokl. Akad. Nauk SSSR* **138**, 522–. Numerical algorithm.

Dym, H. and McKean, H. P.: 1972, *Fourier Series and Integrals*, Academic Press, New York. 129 pp.

Dyson, F. J.: 1952, Divergence of perturbation theory in quantum electrodynamics, *Physical Review* **85**, 631–632.

Écalle, J.: 1981, *Les fonctions résurgentes*, Université de Paris-Sud, Paris.

Eckhaus, W.: 1992, On water waves Froude number slightly higher than one and Bond number less than 1/3, *ZAMP* **43**, 254–269. Proof of exponential smallness of the oscillatory wings for nanopterons of the FKdV equation.

Eilbeck, J. C. and Flesch, R.: 1990, Calculation of families of solitary waves on discrete lattices, *Physics Letters A* **149**, 200–202. Fourier cosine collocation to compute solitary waves which propagate as continuous functions of time on a discrete lattice of interacting masses.

Eisenstat, S. C., Elman, H. C. and Schultz, M. H.: 1983, Variational iterative methods for nonsymmetric systems of linear equations.

Elliott, D.: 1960a, The numerical solution of integral equations using Chebyshev polynomials, *Journal of the Australian Mathematical Society* **1**, 344–356.

Elliott, D.: 1960b, The expansion of functions in ultraspherical polynomials, *Journal of the Australian Mathematical Society* **1**, 428–438.

Elliott, D.: 1964, The evaluation and estimation of the coefficients in the Chebyshev series expansion of a function, *Mathematics of Computation* **18**, 274–284. [This and the next two papers are classic contributions to the asymptotic theory of Chebyshev coefficients.].

Elliott, D.: 1965, Truncation errors in two Chebyshev series approximations, *Mathematics of Computation* **19**, 234–248. [Errors in Lagrangian interpolation with a general contour integral representation and an exact analytical formula for $1/(a + x)$.].

Elliott, D.: 1968, *Journal of the Australian Mathematical Society* **8**, 213–221.

Elliott, D.: 1971, *Mathematics of Computation* **25**, 309–316.

Elliott, D. and Lam, B.: 1973, *SIAM Journal of Numerical Analysis* **10**, 1091–1102.

Elliott, D. and Szekeres, G.: 1965, Some estimates of the coefficients in the Chebyshev expansion of a function, *Mathematics of Computation* **19**, 25–32.

Elliott, D. and Tuan, P. D.: 1974, Asymptotic coefficients of Fourier coefficients, *SIAM Journal of Mathematical Analysis* **5**, 1–10.

Falques, A. and Iranzo, V.: 1992, Edge waves on a longshore shear flow, *Physics of Fluids* pp. 2169–2190. [Rational Chebyshev and Laguerre on semi-infinite domain].

Fike, C. T.: 1968, *Computer Evaluation of Mathematical Functions*, Prentice-Hall, Englewood Cliffs, New Jersey.

Finlayson, B. A.: 1973, *The Method of Weighted Residuals and Variational Principles*, Academic, New York. 412 pp.

Finlayson, B. A. and Scriven, L. E.: 1966, The method of mean weighted residuals — a review, *Appl. Mech. Revs.* **12**, 735–748.

Flatau, P., Boyd, J. P. and Cotton, W. R.: 1987, Symbolic algebra in applied mathematics and geophysical fluid dynamics — reduce examples, *Technical report*, Colorado State University, Department of Atmospheric Science, Fort Collins, CO 80523.

Flierl, G. R.: 1979, Baroclinic solitary waves with radial symmetry, *Dynamics of Atmospheres and Oceans* **3**, 15–38.

Fornberg, B. and Sloan, D.: 1994, A review of pseudospectral methods for solving partial differential equations, *in* A. Iserles (ed.), *Acta Numerica*, Cambridge University Press, New York, pp. 203–267.

Fornberg, B. and Whitham, G. B.: 1978, A numerical and theoretical study of certain nonlinear wave phenomena, *Philosophical Transactions of the Royal Society of London* **289**, 373–404. [Develops efficient Fourier pseudospectral method for Korteweg–deVries and related wave equations; the linear terms, which have constant coefficient, are integrated in time exactly.].

Fox, L. and Parker, I. B.: 1968, *Chebyshev Polynomials in Numerical Analysis*, Oxford University Press, London. [Very readable and still good for general background, but the algorithms for solving differential and integral equations are no longer popular.].

Fröman, N.: 1966, The energy levels of double-well potentials, *Arkiv för Fysik* **32**(4), 79–96.

Funaro, D.: 1992, *Polynomial Approximation of Differential Equations*, Springer-Verlag, New York. 313 pp.

Funaro, D. and Kavian, O.: 1991, Approximation of some diffusion evolutions equations in unbounded domains by Hermite functions, *Mathematics of Computation* **57**, 597–619. Numerical.

Fusco, G. and Hale, J. K.: 1989, Slow motion manifolds, dormant instability and singular perturbations, *Journal of Dynamics and Differential Equations* **1**, 75–94.

Geddes, K. O.: 1976, Chebyshev nodes for interpolation on a class of ellipses, *in* A. G. Law and B. N. Sahney (eds), *Theory of Approximations with Applications*, Academic Press, New York. [Shows that ordinary power series are optimum for uniform expansions over a whole disk in the complex plane while Chebyshev polynomials are optimum with an elliptically-shaped region in the complex plane as well as on the real interval [-1, 1] embedded in this region.].

Geddes, K. O. and Mason, J. C.: 1976, Polynomial approximation by projections on the unit circle, *SIAM Journal of Numerical Analysis* **12**, 111–120.

Geicke, J.: 1994, Logarithmic decay of ϕ^4 breathers of energy $e \leq 1$, *Physical Review E* **49**, 3539–3542.

Glowinski, R., Keller, H. B. and Reinhart, L.: 1985, Continuation conjugate gradient methods for the least squares solution of nonlinear boundary value problems, *SIAM Journal of Scientific and Statistical Computing* **6**, 793–832. Not solitons, but interesting numerical methods for solving nonlinear boundary value problems, such as those for solitons.

Gollub, J. P.: 1991, An experimental assessment of continuum models of dendritic growth, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 76–86.

Gorshkov, K. A. and Ostrovsky, L. A.: 1981, Interactions of solitons in nonintegrable systems: direct perturbation method and applications, *Physica D* **3**, 428–438. No discussion of nonlocal solitary waves, but good review of theory developed by these authors and their collaborators for interacting solitons; used by Grimshaw and Malomed to develop the first theory for bound states of weakly nonlocal solitary waves.

Gorshkov, K. A. and Papko, V. V.: 1977, Dynamic and stochastic oscillations of soliton lattices, *Soviet Physics JETP* **46**, 92–97.

Gorshkov, K. A., Ostrovskii, L. A. and Papko, V. V.: 1976, Interactions and bound states of solitons as classical particles, *Soviet Physics JETP* **44**, 306–311. Nothing about nonlocal solitary waves, but good discussion of perturbation theory for interacting solitary waves.

Gorshkov, K. A., Ostrovskii, L. A. and Papko, V. V.: 1977, Soliton turbulence in a system with weak dispersion, *Soviet Physics Doklady* pp. 378–380.

Gorshkov, K. A., Ostrovskii, L. A., Papko, V. V. and Pikovsky, A. S.: 1979, On the existence of stationary multisolitons, *Physics Letters A* **74**, 177–179.

Gottlieb, D. and Orszag, S. A.: 1977, *Numerical Analysis of Spectral Methods*, SIAM, Philadelphia, PA. 200 pp.

Gradshteyn, I. S. and Ryzhik, I. M.: 1965, *Table of Integrals, Series, and Products*, 4 edn, Academic Press, New York. 1086 pp.

Greatbatch, R. J.: 1985, Kelvin wave fronts, Rossby solitary waves and nonlinear spinup of the equatorial oceans, *Journal of Geophysical Research* **90**, 9097–9107.

Grimshaw, R. H. J.: 1985, Evolution equations for weakly nonlinear, long internal waves in a rotating fluid, *Studies in Applied Mathematics* **73**, 1–33.

Grimshaw, R. H. J.: 1992, The use of Borel-summation in the establishment of non-existence of certain travelling-wave solutions of the Kuramoto-Sivashinsky equation, *Wave Motion* **15**, 393–395.

Grimshaw, R. H. J.: 1995, Weakly nonlocal solitary waves in a singularly perturbed nonlinear schroedinger equation, *Studies in Applied Mathematics* **94**, 257–270. Third-Order Nonlinear Schroedinger equation through complex-plane matched asymptotics and Borel summation.

Grimshaw, R. H. J. and Joshi, N.: 1995, Weakly non-local solitary waves in a singularly-perturbed Korteweg-deVries equation, *SIAM Journal of Applied Mathematics* **55**, 124–135.

Grimshaw, R. H. J. and Malomed, B. A.: 1993, A note on the interaction between solitary waves in a singularly-perturbed Korteweg-deVries equation, *Journal of Physica A* **26**, 4087–4091.

Grimshaw, R. H. J. and Melville, W. K.: 1989, On the derivation of the modified Kadomtsev-Petviashvili equation, *Studies in Applied Mathematics* **80**, 183–202.

Grosch, C. E. and Orszag, S. A.: 1977, Numerical solution of problems in unbounded regions: coordinate transforms, *Journal of Computational Physics* **25**, 273–296. Numerical.

Grundy, R. E. and Allen, H. R.: 1994, The asymptotic solution of a family of boundary value problems involving exponentially small terms, *IMA Journal of Applied Mathematics* **53**, 151–168.

Guillou, J. C. L. and Zinn-Justin, J. (eds): 1990, *Large-Order Behaviour of Perturbation Theory*, North-Holland, Amsterdam.

Hairer, E., Lubich, C. and Roche, M.: 1989, *The Numerical Solution of Differential Algebraic Systems by Runge-Kutta Methods*, Vol. 1409 of *Lecture Notes in Mathematics*, Springer-Verlag, New York.

Hakim, V.: 1991, Computation of transcendental effects in growth problems: Linear solvability conditions and nonlinear methods – the example of the geometric model, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 15–28.

Hakim, V. and Mallick, K.: 1993, Exponentially small splitting of separatrices, matching in the complex plane and Borel summation, *Nonlinearity* **6**, 57–70.

Hale, J. K.: 1992, Dynamics and numerics, *in* D. S. Broomhead and A. Iserles (eds), *The Dynamics of Numerics and the Numerics of Dynamics*, Oxford University Press, Oxford, pp. 243–254.

Hammersley, J. M. and Mazzarino, G.: 1991, The geometric model of crystal growth, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 37–66.

Hanson, F. B.: 1990, Singular point and exponential analysis, *in* R. Wong (ed.), *Asymptotic and Computational Analysis*, Marcel Dekker, New York, pp. 211–240.

Hardy, G. H.: 1949, *Divergent Series*, Oxford University Press, New York.

Harrell, E. M.: 1978, On the asymptotic rate of eigenvalue degeneracy, *Communications in Mathematical Physics* **60**, 73–95.

Harrell, E. M.: 1980, Double wells, *Communications in Mathematical Physics* **75**, 239–261.

Hasegawa, A.: 1989, *Optical Solitons in Fibers*, Springer-Verlag, New York.

Haupt, S. E. and Boyd, J. P.: 1988, Modeling nonlinear resonance: A modification to Stokes' perturbation expansion, *Wave Motion* **10**, 83–98.

Haupt, S. E. and Boyd, J. P.: 1991, Double cnoidal waves of the Korteweg-deVries equation: The boundary value approach, *Physica D* **50**, 117–134.

Heading, J.: 1962, *An Introduction to Phase Integral Methods*, Wiley, New York. Very readable, short primer on WKB theory; nothing about hyperasymptotics or beyond-all-orders theory.

Henderson, M. E. and Keller, H. B.: 1990, Complex bifurcation from real paths, *SIAM Journal of Applied Mathematics* **50**(2), 460–482. Solving systems of nonlinear algebraic equations.

Herbst, B. M. and Ablowitz, M.: 1992, Numerical homoclinic instabilities in the sine-Gordon equation, *Quaestiones Mathematicae* **15**, 345–363.

Herbst, B. M. and Ablowitz, M.: 1993, Numerical chaos, symplectic integrators, and exponentially small splitting distances, *Journal of Computational Physics* **105**, 122–132.

Hildebrand, F. H.: 1974, *Introduction to Numerical Analysis*, Dover, New York.

Hinton, D. B. and Shaw, J. K.: 1985, Absolutely continuous spectra of 2d order differential operators with short and long range potentials, *Quarterly Journal of Mathematics* **36**, 183–.

Hobbs, A. K., Kath, W. L. and Kreigsmann, G. A.: 1991, Bending losses in optical fibers, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 309–316.

Holland, J. H.: 1975, *Adaptation in Natural and Artificial Systems*, University of Michigan Press, Ann Arbor.

Holmes, P., Marsden, J. and Scheurle, J.: 1988, Exponentially small splitting of separatrices with applications to KAM theory and degenerate bifurcations, *Comtemporary Mathematics* **81**, 214–244.

Hong, D. C. and Langer, J. S.: 1986, Analytic theory of the selection mechanism in the Saffman-Taylor problem, *Physical Review Letters* **56**, 2032–2035.

Howls, C. J.: 1992, Hyperasymptotics for integrals for finite endpoints, *Proceedings of the Royal Society of London A* **439**, 373–396.

Hu, J. and Kruskal, M. D.: 1991, Reflection coefficient beyond all orders for singular problems, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 247–253.

Hunter, C.: 1987, Oscillations in the coefficients of power series, *SIAM Journal of Applied Mathematics* **4**, 483–497.

Hunter, J. K. and Scheurle, J.: 1988, Existence of perturbed solitary wave solutions to a model equation for water waves, *Physica D* **32**, 253–268. FKdV equation.

Hunter, J. K. and Vanden-Broeck, J.-M.: 1983, Solitary and periodic gravity-capillary waves of finite amplitude, *Journal of Fluid Mechanics* **134**, 205–219.

If, F., Berg, P., Christiansen, P. L. and Skovgaard, O.: 1987, Split-step spectral method for nonlinear Schrodinger equation with absorbing boundaries, *Journal of Computational Physics* **72**, 501–503. [Solve NLS equation with periodic boundary conditions. With periodic L to imitate the infinite interval (i.e., waves propagating left and right out of the computational zone do not return, an artificial damping (x) is added to make the NLS equation $i\,u_t + \frac{1}{2}u_{xx} + |u|^2 u = -i\,\gamma(x)\,u$, $\gamma(x) = \gamma_0\{\mathrm{sech}^2(\alpha[x - L/2]) + \mathrm{sech}^2(\alpha[x + L/2])\}$ that is, the artificial damping is large at the ends of the interval, but exponentially small in the middle where the solution should resemble that of the undamped equation.].

Iskandarani, M., Haidvogel, D. and Boyd, J. P.: 1995, A staggered spectral finite element method for the shallow water equations, *Int. J. Num. Meths. Fluids* **20**, 393–414. Tested using equatorial Rossby solitons.

Jardine, M., Allen, H. R., Grundy, R. E. and Priest, E. R.: 1992, A family of two-dimensional nonlinear solutions for magnetic field annihilation, *Journal of Geophysical Research — Space Physics* **97**, 4199–4207.

Jones, D. S.: 1966, Fourier transforms and the method of stationary phase, *Journal of the Institute for Mathematics and its Applications* **2**, 197–222.

Jones, D. S.: 1990, Uniform asymptotic remainders, *in* R. Wong (ed.), *Asymptotic and Computational Analysis*, Marcel Dekker, New York, pp. 241–264.

Jones, D. S.: 1993, Asymptotic series and remainders, *in* B. D. Sleeman and R. J. Jarvis (eds), *Ordinary and Partial Differential Equations, Volume IV*, Longman, London, pp. 12–.

Jones, D. S.: 1994, *SIAM Journal of Mathematical Analysis* **25**, 474–490.

Kaplun, S.: 1957, Low Reynolds number flow past a circular cylinder, *Journal of Mathematics and Mechanics* **6**, 595–603.

Kaplun, S.: 1967, *Fluid Mechanics and Singular Perturbations*, Academic Press, New York. ed. by P. A. Lagerstrom, L. N. Howard and C. S. Lius.

Kaplun, S. and Lagerstrom, P. A.: 1957, Asymptotic expansions of Navier-Stokes solutions for small Reynolds number, *Journal of Mathematics and Mechanics* **6**, 585–593.

Karpman, V. I.: 1993, Radiation by solitons due to higher-order dispersion, *Physical Review E* **47**, 2073–2082.

Karpman, V. I.: 1994a, Stationary solitary waves of the fifth-order KdV-type equation, *Physics LettersA* **186**, 300–302.

Karpman, V. I.: 1994b, Radiating solitons of the fifth-order KdV-type equation, *Physics LettersA* **186**, 303–308.

Karpman, V. I. and Solov'ev, V. V.: 1981, A perturbation theory for soliton systems, *Physica D* **1**, 142–164. Nothing about weakly nonlocal solitons per se.

Kasahara, A.: 1977, Numerical integration of the global barotropic primitive equations with Hough harmonic expansions, *Journal of the Atmospheric Sciences* **34**, 687–701.

Kasahara, A.: 1978, Further studies on a spectral model of the global barotropic primitive equations with hough harmonic expansions, *Journal of the Atmospheric Sciences* **35**, 2043–2051.

Kath, W. L. and Kriegsmann, G. A.: 1988, Optical tunnelling: radiation losses in bent fibre-optic waveguides, *IMA Journal of Applied Mathematics* **41**, 85–103.

Katopodes, N., Sanders, B. F. and Boyd, J. P.: 1996, Short wave behavior of long wave equations, *Waterways, Coastal and Ocean Engineering Journal of ASCE*.

Keller, H. B.: 1977, Numerical solution of bifurcation and nonlinear eigenvalue problems, *in* P. Rabinowitz (ed.), *Applications of Bifurcation Theory*, Academic Press, New York, pp. 359–384.

Keller, H. B.: 1992, *Numerical Methods for Two-Point Boundary-Value Problems*, Dover, New York. Reprint of 1968 book plus 9 later journal articles.

Kessler, D. A. and Levine, H.: 1988, Pattern selection in three dimensional dendritic growth, *Acta metallurgica* **36**, 2693–2706.

Kessler, D. A., Koplik, J. and Levine, H.: 1988, Pattern selection in fingered growth phenomena, *Advances in Physics* **37**, 255–339.

Kevorkian, J. and Cole, J. D.: 1981, *Perturbation Methods in Applied Mathematics*, Springer-Verlag, New York.

Killingbeck, J.: 1977, Quantum-mechanical perturbation theory, *Reports on Progress in Theoretical Physics* **40**, 977–1031.

Killingbeck, J.: 1978, A polynomial perturbation problem, *Physics Letters A* **67**, 13–15.

Killingbeck, J.: 1981, Another attack on the sign-change argument, *Chemical Physics Letter* **80**, 601–603.

Kindle, J.: 1983, On the generation of Rossby solitons during el nilno, *in* J. C. J. Nihoul (ed.), *Hydrodynamics of the Equatorial Ocean*, Elsevier, Amsterdam, pp. 353–368.

Kinsman, B.: 1965, *Wind Waves*, Prentice-Hall, Englewood Cliffs, New Jersey.

Kowalenko, V., Glasser, M. L., Taucher, T. and Frankel, N. E.: 1995, *Generalised Euler-Jacobi inversion formula and asymptotics beyond all orders*, Vol. 214 of *London Mathematical Society Lecture Note Series*, Cambridge University Press, Cambridge.

Kropinski, M. C. A., Ward, M. J. and Keller, J. B.: 1995, A hybrid asymptotic-numerical method for low Reynolds number flows past a cylindrical body, *SIAM Journal of Applied Mathematics* **55**(6), 1484–1510.

Kruskal, M. D. and Segur, H.: 1985, Asymptotics beyond all orders in a model of crystal growth, *Technical Report 85-25*, Aeronautical Research Associates of Princeton.

Kruskal, M. D. and Segur, H.: 1991, Asymptotics beyond all orders in a model of crystal growth, *Studies in Applied Mathematics* **85**, 129–181.

Kubicek, M.: 1976, Algorithm 502: Dependence of solution of nonlinear systems on a parameter, *ACM Transactions on Mathematical Software* **2**, 98–107. Not spectral, but independent invention of pseudoarclength continuation for following a solution branch around a limit ("fold") point.

Kummer, M., Ellison, J. A. and Sáenz, A. W.: 1991, Exponentially small phenomena in the rapidly forced pendulum, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 197–211.

Laforgue, J. G. L. and O'Malley, Jr., R. E.: 1993, Supersensitive boundary value problems, *in* H. G. Kaper and M. Garbey (eds), *Asymptotic and Numerical methods for Partial Differential Equations with Critical Parameters*, Kluwer, Dordrecht, pp. 215–223.

Laforgue, J. G. L. and O'Malley, Jr., R. E.: 1994, On the motion of viscous shocks and the supersensitivity of their steady-state limits, *Methods and Applications of Analysis* **1**, 465–487.

Laforgue, J. G. L. and O'Malley, Jr., R. E.: 1995a, Shock layer movement for Burgers' equation, *SIAM Journal of Applied Mathematics* **55**, 332–347.

Laforgue, J. G. L. and O'Malley, Jr., R. E.: 1995b, Viscous shock motion for advection-diffusion equations, *Studies in Applied Mathematics* **95**, 147–170.

Lamb, H.: 1932, *Hydrodynamics*, 6th edn, Dover, New York.

Lanczos, C.: 1938, Trigonometric interpolation of empirical and analytical functions, *Journal of Mathematics and Physics* **17**, 123–199. [The origin of both the pseudospectral method and the tau method. Lanczos is to spectral methods what Newton was to calculus.].

Lanczos, C.: 1956, *Applied Analysis*, Prentice-Hall, Englewood Cliffs, New Jersey. 400 pp.

Lanczos, C.: 1964, *SIAM Journal of Numerical Analysis* **1**, 86–96.

Lanczos, C.: 1966, *Discourse on Fourier Series*, Oliver and Boyd, Edinburgh.

Lange, C. G.: 1983, On spurious solutions of singular perturbation problems, *Studies in Applied Mathematics* **68**, 227–257.

Lax, P. D.: 1978, Accuracy and numerical resolution in the computation of solutions of linear and nonlinear equations, *in* C. de Boor and G. H. Golub (eds), *Recent Advances in Numerical Analysis*, Academic Press, New York, pp. 107–117.

Lazutkin, V. F., Schachmannski, I. G. and Tabanov, M. B.: 1989, Splitting of separatrices for standard and semistandard mappings, *Physica D* **40**, 235–248.

Lee, N. Y., Schultz, W. W. and Boyd, J. P.: 1988, Stability of fluid in a rectangular enclosure by spectral method, *Int. J. Heat and Mass Transfer*.

Levine, H.: 1991, Dendritic crystal growth – overview, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 67–74.

Li, T.-Y.: 1987, Solving polynomial systems, *Math. Intelligencer* **9**, 33–39. [Probability-one homotopy.].

Li, T. Y., Sauer, T. and Yorke, J. A.: 1988, Numerically determining solutions of systems of polynomial equations, *Bulletin (New Series) of the American Mathematical Society* **18**(2), 173–177.

Lighthill, M. J.: 1958, *An Introduction to Fourier Analysis and Generalized Functions*, Cambridge University Press, New York.

Lim, R. and Berry, M. V.: 1991, Superadiabatic tracking for quantum evolution, *Journal of Physics A* **24**, 3255–3264.

Liu, Y., Liu, L. and Tang, T.: 1992, The numerical computation of connecting orbits in dynamical systems: A rational spectral approach, *Report 92-17*, Department of Mathematics, Simon Fraser University, Burnaby, BC, CANADA V5A lS6.

Liu, Y., Liu, L. and Tang, T.: 1994, The numerical computation of connecting orbits in dynamical systems: A rational spectral approach, *Journal of Computational Physics* **111**, 373–380.

Loesch, A. and Deininger, R. E.: 1979, Dynamics of closed systems of resonantly interacting equatorial waves, *Journal of Physical Oceanography* **11**, 1699–1717.

Long, B. and Chang, P.: 1990, Propagation of an equatorial Kelvin wave in a varying thermocline, *Journal of Physical Oceanography* **20**, 1826–1841. Classical solitons and breaking waves.

Lorenz, E. N. and Krishnamurthy, V.: 1987, On the nonexistence of a slow manifold, *Journal of the Atmospheric Sciences* **44**, 2940–2950. [Weakly non-local in time].

Lowan, A. N. and the staff of the National Applied Mathematics Laboratories, National Bureau of Standards: 1951, *Tables Relating to Mathieu Functions*, Columbia University Press, New York. 278 pp.

Lozano, C. and Meyer, R. E.: 1976, Leakage and response of waves trapped by round islands, *Physics of Fluids* **19**, 1075–1088. Leakage is exponentially small in the perturbation parameter.

Lozier, D. W. and Olver, F. W. J.: 1994, Numerical evaluation of special functions, *in* W. Gautschi (ed.), *Mathematics of Computation 1943-1993: A Half-Century of Computational Mathematics*, number 48 in *Proceedings of Symposia in Applied Mathematics*, American Mathematical Society, American Mathematical Society, Providence, Rhode Island.

Luke, Y. L.: 1969, *The Special Functions and Their Approximations*, Vol. I II, Academic Press, New York. Two Volumes, [A treasury of information on Chebyshev series for both simple and complicated functions; little on solving differential or integral equations.].

Luke, Y. L.: 1975, *Mathematical Functions and Their Approximations*, Academic Press, New York. 566 pp. [Extensive tables of expansions of elementary and special functions in Chebyshev series. Also very detailed description with reference of similar tables published elsewhere by other authors].

Lund, J. and Bowers, K. L.: 1992, *Sinc Methods For Quadrature and Differential Equations*, Society for Industrial and Applied Mathematics, Philadelphia. 304 pp. [Restricted to sinc functions only.].

Lyness, J. N.: 1971, Adjusted forms of the Fourier Coefficient Asymptotic Expansion, *Mathematics of Computation* **25**, 87–104. [An appendix derives the asymptotic Fourier coefficients for a function with a logarithmic singularity at one or both endpoints.].

Lyness, J. N.: 1984, The calculation of trigonometric Fourier coefficients, *Journal of Computational Physics* **54**, 57–73. [A good review article which discusses the integration-by-parts series for the asymptotic Fourier coefficients and also how the use of polynomial subtractions, via Bernoulli polynomials, can give a rapidly converging approximation to a non-periodic function.].

Lyness, J. N. and Ninham, B. W.: 1967, Numerical quadrature and asymptotic expansions, *Mathematics of Computation* **21**, 162–.

MacGillivray, A. D., Liu, B. and Kazarinoff, N. D.: 1994, Asymptotic analysis of the peeling-off point of a French duck, *Methods and Applications of Analysis* **1**, 488–509.

Mackay, R. S.: 1991, Exponentially small residues near analytic invariant circles, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 365–374.

Marion, M. and Témam, R.: 19, Nonlinear Galerkin methods, *SIAM Journal of Numerical Analysis* **26**, 1139–1157.

Marshall, H. G. and Boyd, J. P.: 1987, Solitons in a continuously stratified equatorial ocean, *Journal of Physical Oceanography* **17**, 1016–1031. [Hermite function application.].

Martin, O. and Branis, S. V.: 1991, Solitary waves in self-induced transparency, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 327–3336.

Maslov, V. P.: 1994, *The Complex WKB Method for Nonlinear Equations I: Linear Theory*, Birkhauser, Boston.

Maslowe, S. A. and Redekopp, L. G.: 1980, Long nonlinear waves in stratified shear flows, *Journal of Fluid Mechanics* **101**, 321–348.

McArthur, K. M., Bowers, K. L. and Lund, J.: 1987, Numerical implementation of the sinc-Galerkin method for second-order hyperbolic equations, *Numerical Methods for Partial Differential Equations* **3**, 169–185. Numerical; not soliton.

McLeod, J. B.: 1991, Laminar flow in a porous channel, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 255–266.

McLeod, J. B.: 1992, Smoothing of Stokes discontinuities, *Proceedings of the Royal Society of London, Series A* **437**, 343–354.

McPhaden, M. J. and Ripa, P.: 1990, Wave-mean flow interactions in the equatorial ocean, *Annual Reviews of Fluid Mechanics* **22**, 167–205.

Meiss, J. D. and Horton, W.: 1983, Solitary drift waves in the presence of magnetic shear, *Physics of Fluids* **26**, 990–997. [Show that plasma "modons" leak radiation for large $|x|$, and therefore are "weakly non-local" solitons. Nothing on Chebyshev or Fourier schemes.].

Meksyn, D. and Stuart, J. T.: 1951, Stability of viscous motion between parallel planes for finite disturbances, *Proceedings of the Royal Society A*.

Mercier, B.: 1989, *An Introduction to the Numerical Analysis of Spectral Methods*, Vol. 318 of *Lecture Notes in Physics*, Springer-Verlag, New York. 200 pp. [Author's translation, without updating, of an earlier monograph in French.].

Merzbacher, E.: 1970, *Quantum Mechanics*, 2 edn, Wiley, New York. 400 pp. [Hermite funcs.; Galerkin meths. in quantum mechanics.].

Meyer, R. E.: 1973a, Adiabatic variation. Part I: Exponential property for the simple oscillator, *Journal of Applied Mathematics and Physics ZAMP* **24**, 517–524.

Meyer, R. E.: 1973b, Adiabatic variation. Part II: Action change for simple oscillator, *Journal of Applied Mathematics and Physics ZAMP*.

Meyer, R. E.: 1974a, Adiabatic variation. Part V: Nonlinear near-periodic oscillator, *Journal of Applied Mathematics and Physics ZAMP* **27**, 181–195.

Meyer, R. E.: 1974b, Exponential action of a pendulum, *Bulletin ofthe American Mathematical Society* **80**, 164–168.

Meyer, R. E.: 1974c, Adiabatic variation. Part IV: Action change of a pendulum for general frequency, *Journal of Applied Mathematics and Physics ZAMP* **25**, 651–654.

Meyer, R. E.: 1975, Gradual reflection of short waves, *SIAM Journal of Applied Mathematics* **29**, 481–492.

Meyer, R. E.: 1976, Quasiclassical scattering above barriers in one dimension, *Journal of Mathematical Physics* **17**, 1039–1041.

Meyer, R. E.: 1979, Surface wave reflection by underwater ridges, *Journal of Physical Oceanography* **9**, 150–157.

Meyer, R. E.: 1980, Exponential asymptotics, *SIAM Review* **22**, 213–224.

Meyer, R. E.: 1982, Wave reflection and quasiresonance, *Theory and Application of Singular Perturbation*, number 942 in *Lecture Notes in Mathematics*, Springer-Verlag, New York, pp. 84–112.

Meyer, R. E.: 1986, Quasiresonance of long life, *Journal of Mathematical Physics* **27**, 238–248.

Meyer, R. E.: 1989, A simple explanation of Stokes phenomenon, *SIAM Review* **31**, 435–444.

Meyer, R. E.: 1990, Observable tunneling in several dimensions, *in* R. Wong (ed.), *Asymptotic and Computational Analysis*, Marcel Dekker, New York, pp. 299–328.

Meyer, R. E.: 1991a, On exponential asymptotics for nonseparable wave equations I: Complex geometrical optics and connection, *SIAM Journal of Applied Mathematics* **51**, 1585–1601.

Meyer, R. E.: 1991b, On exponential asymptotics for nonseparable wave equations I: EBK quantization, *SIAM Journal of Applied Mathematics* **51**, 1602–1615.

Meyer, R. E.: 1991c, Exponential asymptotics for partial differential equations, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 29–36.

Meyer, R. E.: 1992, Approximation and asymptotics, *in* D. A. Martin and G. R. Wickham (eds), *Wave Asymptotics*, Cambridge University Press, New York, pp. 43–53.

Meyer, R. E. and Guay, E. J.: 1974, Adiabatic variation. Part III: A deep mirror model, *Journal of Applied Mathematics and Physics ZAMP* **25**, 643–650.

Meyer, R. E. and Painter, J. F.: 1979, Wave trapping with shore absorption, *Journal of Engineering Mathematics* **13**, 33–45.

Meyer, R. E. and Painter, J. F.: 1981, New connection method across more general turning points, *Bulletin of the American Mathematical Society* **4**, 335–338.

Meyer, R. E. and Painter, J. F.: 1982, Irregular points of modulation, *Advances in Applied Mathematics* **4**, 145–174.

Meyer, R. E. and Painter, J. F.: 1983a, Connection for wave modulation, *SIAM Journal of Mathematical Analysis* **14**, 450–462.

Meyer, R. E. and Painter, J. F.: 1983b, On the schroedinger connection, *Bulletin of the American Mathematical Society* **8**, 73–76.

Meyer, R. E. and Shen, M. C.: 1991, On Floquet's theorem for nonseparable partial differential equations, *in* B. D. Sleeman (ed.), *Eleventh Dundee Conference in Ordinary and Partial Differential Equations*, Pitman Advanced mathematical Research Notes, Longman-Wiley, New York, pp. 146–167.

Meyer, R. E. and Shen, M. C.: 1992, On exponential asymptotics for nonseparable wave equations III: Approximate spectral bands of periodic potentials on strips, *SIAM Journal of Applied Mathematics* **52**, 730–745.

Milewski, P.: 1993, Oscillating tails in the perturbed Korteweg-deVries equation, *Studies in Applied Mathematics* **90**, 87–90.

Miller, G. F.: 1966, On the convergence of Chebyshev series for functions possessing a singularity in the range of representation, *SIAM Journal of Numerical Analysis* **3**, 390–409.

Miller, J. C. P.: 1945, Two numerical applications of Chebyshev polynomials, *Proceedings of the Royal Scoiety of Edinburgh* **62**, 204–210.

Mills, R. D.: 1987, Using a small algebraic manipulation system to solve differential and integral equations by variational and approximation techniques, *J. Symbolic Comp.* **3**, 291–301.

Moore, D. W. and Philander, S. G. H.: 1977, Modelling of the tropical oceanic circulation, *in* E. D. Goldberg (ed.), *The Sea*, number 6, Wiley, New York, pp. 319–361.

Morbidelli, A. and Giorgilli, A.: 1995, Superexponential stability of KAM tori, *Journal of Statistical Physics* **78**, 1607–1617. Estimates of the exponentially long time scale for Arnold diffusion.

Morgan, A. and Sommese, A.: 1987, Computing all solutions to a polynomial systems using homotopy continuation, *Applied Mathematics and Computation* **24**, 115–138.

Morgan, A. P.: 1987, *Solving Polynomial Systems Using Continuation for Scientific and Engineering Problems*, Prentice-Hall, Englewood Cliffs, New Jersey.

Morse, P. M. and Feshbach, H.: 1953, *Methods of Theoretical Physics*, McGraw-Hill, New York. 2000 pp, (in two volumes).

Murnaghan, F. D. and Wrench, Jr., J. W.: 1959, The determination of the Chebyshev approximation polynomial for a differentiable function, *Mathematical Tables and other Aids to Computation* **13**, 185–193.

Nagashima, H. and Kuwahara, M.: 1981, *J. Phys. Soc.* **50**, 3792. [Soliton of fifth-degree Korteweg-deVries equation.].

Nayfeh, A. H.: 1973, *Perturbation Methods*, Wiley, New York.

Nekhoroshev, N. N.: 1977, An exponential estimate of the time of stability of nearly-integrable Hamiltonian systems, *Russ. Math. Surveys* **32**, 1–65. Estimates of the exponentially small time scale for Arnold diffusion.

Németh, G.: 1965a, Polynomial approximation to the function $\psi(a, c, x)$, *Technical report*, Central Institute for Physics, Budapest.

Németh, G.: 1965b, Chebyshev expansion of Gauss' hypergeometric function, *Technical report*, Central Institute for Physics, Budapest.

Németh, G.: 1966a, Chebyshev expansions of the Bessel function. I, *Proceedings of the KFKI* **14**, 157–.

Németh, G.: 1966b, Chebyshev expansions of the Bessel functions. II, *Proceedings of the KFKI* **14**, 299–309.

Németh, G.: 1969, Note on the zeros of the Bessel functions, *Technical report*, Central Institute for Physics, Budapest.

Németh, G.: 1974, *Technical Report 74–13*, Central Institute for Physics, Budapest.

Németh, G.: 1992, *Mathematical Approximation of Special Functions: Ten Papers on Chebyshev Expansions*, Nova Science Publishers, New York. 200 pp. [Tables, with some theory and coefficient asymptotics, for Bessel functions, Airy functions, zeros of Bessel functions, and generalized hypergeometric functions.].

Nezlin, M. V. and Snezhkin, E. N.: 1993, *Rossby Vortices, Spiral Structures, Solitons*, Springer-Verlag, New York.

Nihoul, J. C. J. and Jamart, B. M. (eds): 1989, *International Liege Colloquium on Ocean Hydrodynamics*, number 20 in *Liege Colloquium on Ocean Hydrodynamics*, Elsevier, Amsterdam.

Novokshenov, V. Y.: 1993, Nonlinear Stokes Phenomenon for the second Painlevé equation, *Physica D* **63**, 1–7.

Oberhettinger, F.: 1973, *Fourier Expansions: A Collection of Formulas*, Academic Press, New York.

Oikawa, M.: 1993, Effects of third order dispersion on the Nonlinear Schroedinger equation, *Journal of the Physical Society of Japan* **62**, 2324–2333.

Olde Daalhuis, A. B.: 1992, Hyperasymptotic expansions of confluent hypergeometric functions, *IMA Journal of Applied Mathematics* **49**, 203–216.

Olde Daalhuis, A. B.: 1993, Hyperasymptotics and the Stokes phenomenon, *Proceedings of the Royal Mathematical Society of Edinburgh A* **123**, 731–743.

Olde Daalhuis, A. B.: 1995, Hyperasymptotic solutions of second-order linear differential equations II, *Methods of Applicable Analyis* **2**, 198–211.

Olde Daalhuis, A. B.: 1996, Hyperterminants II, *Journal of Computational and Applied Mathematics* **76**, 255–264. Convergent series for the generalized Stieltjes functions that appear in hyperasymptotic expansions.

Olde Daalhuis, A. B. and Olver, F. W. J.: 1994, Exponentially improved asymptotic solutions of ordinary differential equations. II. Irregular singularities of rank one, *Proceedingsof the Royal Society of London A* **445**, 39–56.

Olde Daalhuis, A. B. and Olver, F. W. J.: 1995a, Hyperasymptotic solutions of second-order linear differential equations. I, *Methods of Applicable Analysis* **2**, 173–197.

Olde Daalhuis, A. B. and Olver, F. W. J.: 1995b, On the calculation of Stokes multipliers for linear second-order differential equations, *Methods of Applicable Analysis* **2**, 348–367.

Olde Daalhuis, A. B. and Olver, F. W. J.: 1995c, Exponentially-improved asymptotic solutions of ordinary differential equations. II: Irregular singularities of rank one., *Proceedings of the Royal Society of London, Series A* **2**, 39–56.

Olde Daalhuis, A. B., Chapman, S. J., King, J. R., Ockendon, J. R. and Tew, R. H.: 1995, Stokes phenomenon and matched asymptotic expansions, *SIAM Journal of Applied Mathematics* **6**, 1469–1483.

Olver, F. W. J.: 1974, *Asymptotics and Special Functions*, Academic, New York.

Olver, F. W. J.: 1990, On Stokes' phenomenon and converging factors, *in* R. Wong (ed.), *Asymptotic and Computational Analysis*, Marcel Dekker, New York, pp. 329–356.

Olver, F. W. J.: 1991a, Uniform, exponentially-improved asymptotic expansions for the generalized exponential integral, *SIAM Journal of Mathematical Analysis* **22**, 1460–1474.

Olver, F. W. J.: 1991b, Uniform, exponentially-improved asymptotic expansions for the confluent hypergeometric function and other integral transforms, *SIAM Journal of Mathematical Analysis* **22**, 1475–1489.

Olver, F. W. J.: 1993, Exponentially-improved asymptotic solutions of ordinary differential equations I: The confluent hypergeometric function, *SIAM Journal of Mathematical Analysis* **24**, 756–767.

Olver, F. W. J.: 1994, Asymptotic expansions of the coefficients in asymptotic series solutions of linear differential equations, *Methods of Applicable Analysis* **1**, 1–13.

Olver, P. J.: 1986, *Applications of Lie Groups to Differential Equations*, Springer-Verlag, New York.

O'Malley, Jr., R. E.: 1991, Singular perturbations, asymptotic evaluation of integrals, and computational challenges, *in* H. G. Kaper and M. Garbey (eds), *Asymptotic Analysis and the Numerical Solution of Partial Differential Equation*, Dekker, New York, pp. 3–16.

Oppenheimer, J. R.: 1928, Three notes on the quantum theory of aperiodic effects, *Physical Review* **31**, 66–81. Shows that Zeeman effect generates an imaginary part to the energy which is exponentially small in the reciprocal of the perturbation parameter.

Ortega, J. M. and Rheinboldt, W. C.: 1970, *Iterative Solution of Nonlinear Equations in Several Variables*, Academic Press, New York.

Painter, J. F. and Meyer, R. E.: 1982, Turning-point connection at close quarters, *SIAM Journal of Mathematical Analysis* **13**, 541–554.

Paris, R. B.: 1992a, Smoothing of the Stokes phenomenon for high-order differential equations, *Proceedings of the Royal Society of London A* **436**, 165–186.

Paris, R. B.: 1992b, Smoothing of the Stokes phenomenon using Mellin-Barnes integrals, *Journal of Computational and Applied Mathematics* **41**, 117–133.

Paris, R. B. and Wood, A. D.: 1989, A model for optical tunneling, *IMA Journal of Applied Mathematics* **43**, 273–284.

Paris, R. B. and Wood, A. D.: 1992, Exponentially-improved asymptotics for the gamma function, *Journal of Computational and Applied Mathematics* **41**, 135–143.

Paris, R. B. and Wood, A. D.: 1995, Stokes phenomenon demystified, *IMA Bulletin* **31**, 21–28.

Pereira, N. R. and Redekopp, L. G.: 1980, Radiation damping of long, finite-amplitude internal waves, *Physics of Fluids* **23**, 2182–2183.

Petviashvili, V. I.: 1981, Red Spot of Jupiter and the drift soliton in a plasma, *Soviet Physics JETP Letters* **32**, 619–622.

Pham, F.: 1988, Resurgence, quantized canonical transforamtions and multi-instanton expansions, *Algebraic Analysis, Vol. 2*, Academic Press, New York, pp. 699–726.

Pokrovskii, V. L.: 1989, *in* I. M. Khalatnikov (ed.), *Landau, the Physicist and the Man: Recollections of L. D. Landau*, Pergamon Press, Oxford.

Pokrovskii, V. L. and Khalatnikov, I. M.: 1961, On the problem of above-barrier reflection of high-energy particles, *Soviet Physics JETP* **13**, 1207–1210. [Applies matched asymptotics in the complex plane to compute the exponentially small reflection which is missed by WKB. This infinite interval problem cannot be solved by Hermite or rational Chebyshev functions without tricks because the solution is oscillatory and non-decaying at infinity; one needs special "radiation basis" functions (Chapter 16, Sec. 6).].

Pomeau, Y.: 1991, Singular perturbations of solitons, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 241–246.

Pomeau, Y., Ramani, A. and Grammaticos, G.: 1988, Structural stability of the Korteweg-deVries solitons under a singular perturbation, *Physica D* **21**, 127–134. [Weakly nonlocal solitons of the FKdV equation; complex-plane matched asymptotics].

Praddaude, H. C.: 1972, Energy levels of hydrogen like atoms in a magnetic field, *Physical Review A* **6**, 1321–1324.

Press, W. H., Flannery, B. H., Teukolsky, S. A. and Vetterling, W. T.: 1986, *Numerical Recipes: The Art of Scientific Computing*, Cambridge University Press, New York.

Proudman, I. and Pearson, J. R. A.: 1957, Expansions at small Reynolds numbers for the flow past a sphere and a circular cylinder, *Journal of Fluid Mechanics* **2**, 237–262.

Raithby, G.: 1971, Laminar heat transfer in the thermal entrance region of circular tubes and two-dimensional rectangular ducts with wall suction and injection, *International Journal of Heat and Mass Transfer* **14**, 223–243.

Raković, M. J. and Solov'ev, E. A.: 1989, Higher orders of semiclassical expansion for the one-dimensional Schroedinger equation, *Physical Review A* **40**, 6692–6694.

Reddy, S. C., Schmid, P. J. and Henningson, D. S.: 19, Pseudospectra of the Orr-Sommerfeld equation, *SIAM Journal of Applied Mathematics* **53**, 15–47.

Reichel, L. and Trefethen, N. L.: 1992, The eigenvalues and pseudo-eigenvalues of Toeplitz matrices, *Linear Algebra with Applications* **162**, 153–185.

Reinhardt, W. P.: 1982, Pade summation for the real and imaginary parts of atomic Stark eigenvalues, *International Journal of Quantum Chemistry* **21**, 133–146.

Reyna, L. G. and Ward, M. J.: 1995a, On exponential ill-conditioning and internal layer behavior, *Journal of Numerical Functional Analysis and Optimization*.

Reyna, L. G. and Ward, M. J.: 1995b, Resolving weak internal layer interactions for the Cahn-Allen equation, *European Journal of Applied Mathematics*.

Reyna, L. G. and Ward, M. J.: 1996, On the exponentially slow motion of a viscous shock, *Communications in Pure and Applied Mathematics*.

Richardson, L. F.: 1910, The approximate arithmetical solution by finite differences of physical problems involving differential equations with an application to stresses in a masonry dam, *Phil. Trans. Royal Society of London* **A210**, 307–357. [Invention of Richardson's iteration.].

Richardson, L. F.: 1922, *Weather Prediction by Numerical Processes*, Cambridge University Press, New York.

Richardson, L. F.: 1927, The deferred approach to the limit. Part I.— Single lattice, *Philosophical Transactions of the Royal Society* **226**, 299–349.

Richardson, L. F.: 1993, The deferred approach to the limit. Part I.–Single lattice, *in* O. M. Ashford, H. Charnock, P. G. Drazin, J. C. R. Hunt, P.Smoker and I. Sutherland (eds), *Collected Papers of Lewis Fry Richardson*, Cambridge University Pres, New York, pp. 625–678.

Ripa, P.: 1982, Nonlinear wave-wave interactions in a one-layer reduced-gravity model on the equatorial beta-plane, *Journal of Physical Oceanography* **12**, 97–111.

Ripa, P.: 1983a, Resonant triads of equatorial waves in a one-layer model. Part I. non-local triads and triads of waves with the same speed, *Journal of Physical Oceanography* **13**, 1208–1226.

Ripa, P.: 1983b, Resonant triads of equatorial waves in a one-layer model. Part II. general classification of resonant triads and double triads, *Journal of Physical Oceanography* **13**, 1227–1240.

Ripa, P.: 1985, Nonlinear effects in the propagation of Kelvin pulses across the Pacific Ocean, *in* L. Debnath (ed.), *Advances in Nonlinear Waves*, Pitman, New York, pp. 43–56.

Robinson, W. A.: 1976, The existence of multiple solutions for the laminar flow in a uniformly porous channel with suction at both walls, *Journal of Engineering Mathematics* **10**, 23–40.

Rosser, J. B.: 1951, Transformations to speed the convergence of series, *Journal of Research of the National Bureau of Standards* **46**, 56–64.

Rosser, J. B.: 1955, Explicit remainder terms for some asymptotic series, *Journal of Rational Mechanics and Analysis* **4**, 595–626.

Sanders, B. F., Katopodes, N. and Boyd, J. P.: 1996, Unified pseudo-spectral solution to water wave equations.

Scheurle, J., Marsden, J. E. and Holmes, P.: 1991, The geometric model of crystal growth, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 29–36.

Schraiman, B. I.: 1986, On velocity selection and the Saffman-Taylor problem, *Physical Review Letters* **56**, 2028–2031.

Schulten, Z., Anderson, D. G. M. and Gordon, R. G.: 1979, An algorithm for the evaluation of the complex Airy functions, *Journal of Computational Physics* **31**, 60–75.

Schwarz, F.: 1982, A reduce package for determining lie symmetries of ordinary and partial differential equations, *Computer Physics Communications* **27**, 179–186.

Segur, H.: 1991, The geometric model of crystal growth, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 29–36.

Segur, H. and Kruskal, M. D.: 1987, On the nonexistence of small amplitude breather solutions in ϕ^4 theory, *Physical Review Letters* **58**, 747–750. [The title not withstanding, the ϕ^4 breather does exist, but is "weakly nonlocal". The computations use a Fourier series in time.].

Segur, H., Tanveer, S. and Levine, H. (eds): 1991, *Asymptotics Beyond All Orders*, Plenum, New York. 389pp.

Seydel, R.: 1988, *From Equilibrium to Chaos: Practical Bifurcation and Stability Analysis*, Elsevier, Amsterdam. 355 pp.; a second edition has since appeared. Nothing about solitary waves, but good undergraduate introduction to solving systems of nonlinear equations and continuation.

Shen, M. C. and Shun, S. M.: 1991, Generalized solitary waves in a stratified fluid, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 299–307.

Sibuya, Y.: 1990, Gevrey property of formal solutions in a parameter, *in* R. Wong (ed.), *Asymptotic and Computational Analysis*, Marcel Dekker, New York, pp. 393–401.

Skinner, L. A.: 1975, Generalized expansions for slow flow past a cylinder, *Quarterly Journal of Mechanics and Applied Mathematics* **28**, 333–340.

Snyder, M. A.: 1966, *Chebyshev Methods in Numerical Approximation*, Prentice-Hall, Englewood Cliffs, New Jersey. 150 pp. [Good, readable treatment of a wide variety of topics. Includes some off-beat derivations of Chebyshev series including solutions to differential equations.].

Stenger, F.: 1993, *Sinc Methods*, Springer-Verlag, New York. Numerical, 500 pp.].

Stengle, G.: 1977, Asymptotic estimates for the adiabatic invariance of a simple oscillator, *SIAM Journal of Mathematical Analysis* **8**, 640–654.

Stengle, G.: 1985, Transcendental estimates for the adiabatic variation of linear Hamiltonian systems, *SIAM Journal of Mathematical Analysis* **16**, 932–940.

Stensrud, D. J.: 1987, Euclidean algorithm for finding common roots to polynomials, *in* H. N. Shirer (ed.), *Nonlinear Hydrodynamic Modelling: A Mathematical Introduction*, number 271 in *Lecture Notes in Physics*, Springer-Verlag, New York, part Appendix B, pp. 510–516.

Stieltjes, T. J.: 1886, Recherches sur quelques séries semi-convergentes, *Annales Scientifique de Ecole Normale Superieur* **3**, 201–258.

Sun, S. M.: 1991, Existence of a generalized solitary wave solution for water with positive bond number less than 1/3, *Journal of Mathematical Analysis with Applications* **156**, 471–504.

Sun, S. M. and Shen, M. C.: 1993a, Exponentially small estimate for the amplitude of capillary ripples of a generalized solitary wave, *Journal of Mathematical Analysis with Applications* **172**, 533–566.

Sun, S. M. and Shen, M. C.: 1993b, Exact theory of solitary waves in a stratified fluid with surface tension. Part II. Oscillatory case, *Journal of Differential Equations* **105**(1), 117–166.

Sun, S. M. and Shen, M. C.: 1994a, Exponentially small asymptotics for internal solitary waves with oscillatory tails in a stratified fluid, *Methods and Applications of Analysis* **1**(1), 81–107.

Sun, S. M. and Shen, M. C.: 1994b, Exponentially small estimate for a generalized solitary wave solution to the perturbed K-dV equation, *Nonlinear Analysis, Theory, Methods and Applications* **23**(4), 545–564. Proofs of the existence of the weakly nonlocal solitary wave and of the exponential smallness of its "wings" for the FKdV equation.

Tan, B. and Boyd, J. P.: 1997, Dynamics of the Flierl-Petviashvili monopoles in a barotropic model with topographic forcing, *Wave Motion*. In press.

Tang, T. and Trummer, M. R.: 1995, Boundary layer resolving pseudospectral methods for singular perturbation problems, *SIAM Journal of Scientific Computing*.

Tanveer, S.: 1990, Analytic theory for the selection of Saffman-Taylor finger in the presence of thin-film effects, *Proceedings of the Royal Society of London A* **428**, 511–9000.

Tanveer, S.: 1991, Viscous displacement in a Hele-Shaw cell, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 131–154.

Terril, R. M.: 1965, Laminar flow in a uniformly porous channel with large injection, *Aeronautical Quarterly* **16**, 323–332.

Terrill, R. M.: 1973, On some exponentially small terms arising in flow through a porous pipe, *Quarterly Journal of Mechanics and Applied Mathematics* **26**, 347–354.

Terrill, R. M. and Thomas, P. W.: 1969, Laminar flow in a uniformly porous pipe, *Applied Scientific Research* **21**, 37–67.

Trefethen, L. N. and Trummer, M. R.: 1987, An instability phenomena in spectral methods, *SIAM Journal of Numerical Analysis*.

Trefethen, L. N. and Weideman, J. A. C.: 1991, Two results on polynomial interpolation in equally spaced points, *Journal of Approximation Theory* **65**, 247–260.

Tribbia, J. J.: 1984, Modons in spherical geometry, *Geophysical and Astrophysical Fluid Dynamics* **30**, 131–168.

Tu, Y.: 1991, Saffman-Taylor problem in a sector geometry, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 175–186.

Tuan, P. D. and Elliott, D.: 1972, Coefficients in series expansions for certain classes of functions, *Mathematics of Computation* **26**, 213–232.

Urabe, M.: 1965, Galerkin's procedure for nonlinear periodic systems, *Archs. Ration. Mech. Analysis* **20**, 120–152.

Urabe, M. and Reiter, A.: 1966, Numerical computations of nonlinear forced oscillations by Galerkin's procedure, *J Math. Anal. Applic.* **14**, 107–140.

Ursell, F.: 1990, Integrals with a large parameter. A strong form of Watson's lemma, *in* R. W. Ogden and G. Eason (eds), *Elasticity: Mathematical Methods and Applications*, Ellis Horwood Limited, pp. 391–395.

Van Dyke, M.: 1964, *Perturbation Methods in Fluid Mechanics*, 1st edn, Academic Press, New York.

Van Dyke, M.: 1975, *Perturbation Methods in Fluid Mechanics*, 2d edn, Parabolic Press, Stanford, California.

Van Dyke, M.: 1994, Nineteenth-century roots of the boundary-layer idea, *SIAM Review* **36**, 415–424.

Vanden-Broeck, J.-M.: 1991a, Elevation solitary waves with surface tension, *Physics of Fluids A* **3**, 2659–2663. Numerical solutions for weakly nonlocal water waves.

Vanden-Broeck, J.-M.: 1991b, Gravity-capillary free surface flows, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 275–291.

Vanden-Broeck, J.-M. and Dias, F.: 1992, Gravity-capillary solitary waves in water of infinite depth and related free surface flows, *Journal of Fluid Mechanics* **240**, 549–557.

Vanden-Broeck, J.-M. and Turner, R. E. L.: 1992, Long periodic internal waves, *Physics of Fluids A* **4**, 1929–1935.

Waddell, B. et al.: 1976, *Nucleon Fusion* **16**, 528.

Wai, P. K. A., Chen, H. H. and Lee, Y. C.: 19, Radiation by "solitons" at the zero group-dispersion wavelength of single-mode optical fibers, *Physical Review A* **41**, 426–439.

Wai, P. K. A., Menyuk, C. R., Lee, Y. C. and Chen, H. H.: 1986, Nonlinear pulse propagation in the neighborhood of the zero-dispersion wavelength of monomode optical fibers, *Optics Letter* **11**, 464–466.

Ward, M. J.: 1994, Metastable patterns, layer collapses, and coarsening for a one-dimensional Ginzburg-Landau equation, *Studies in Applied Mathematics* **91**, 51–93.

Ward, M. J. and Reyna, L. G.: 1995, Internal layers, small eigenvalues, an the sensitivity of metastable motion, *SIAM Journal of Applied Mathematics* **55**, 426–446.

Ward, M. J., Henshaw, W. D. and Keller, J. B.: 1993, Summing logarithmic expansions for singularly perturbed eigenvalue problems, *SIAM Journal of Applied Mathematics* **53**, 799–828.

Wasserstrom, E.: 1973, Numerical solutions by the continuation method, *SIAM Review* **15**, 89–119.

Watson, P., Banks, W. H. H., Aturska, M. B. and Drazin, P. G.: 1991, Laminar channel flow driven by accelerating walls, *European Journal of Applied Mathematics* **2**, 359–385.

Weideman, J. A. C.: 1992, The eigenvalues of Hermite and rational spectral differentiation matrices, *Numerische Mathematik* **61**, 409–431.

Weideman, J. A. C. and Cloot, A.: 1990, Spectral methods and mappings for evolution equations on the infinite line, *Computer Methods in Applied Mechanics and Engineering* **80**, 467–481. Numerical.

Weinstein, M. I. and Keller, J. B.: 1985, Hill's equation with a large potential, *SIAM Journal of Applied Mathematics* **45**, 200–214.

Weinstein, M. I. and Keller, J. B.: 1987, Asymptotic behavior of stability regions for Hill's equation, *SIAM Journal of Applied Mathematics* **47**, 941–958.

Weniger, E. J.: 1989, Nonlinear sequence transformations for the acceleration of convergence and the summation of divergent series, *Computer Physics Reports* **10**, 189–371.

Weniger, E. J.: 1991, On the derivation of iterated sequence transformations for the acceleration of convergence and the summation of divergent series, *Computer Physics Communications* **64**, 19–45.

Williams, G. P. and Wilson, R. J.: 1988, The stability and genesis of Rossby vortices, *Journal of the Atmospheric Sciences* **49**, 207–249. [Show that n-3 and higher mode Rossby solitons radiatively decay, and appear to be examples of "weakly nonlocal" solitons.].

Wimp, J.: 1961, Polynomial approximations to integral transforms, *Mathematics of Computation* **15**, 174–178.

Wimp, J.: 1962, Polynomial expansions of Bessel functions and some associated functions, *Mathematics of Computation* **16**, 446–458.

Wimp, J.: 1967, The asymptotic representation of a class of G-functions for large parameter, *Mathematics of Computation* **21**, 639–646.

Wimp, J.: 1981, *Sequence Transformations and Their Applications*, Academic Press, New York.

Wong, R.: 1989, *Asymptotic Approximation of Integrals*, Academic Press, New York.

Wong, R. (ed.): 1990, *Asymptotic and Computational Analysis*, Marcel Dekker, New York.

Wood, A. D.: 1991, Exponential asymptotics and spectral theory for curved optical waveguides, *in* H. Segur, S. Tanveer and H. Levine (eds), *Asymptotics Beyond All Orders*, Plenum, Amsterdam, pp. 317–326.

Wood, A. D. and Paris, R. B.: 1990, On eigenvalues with exponentially small imaginary part, *in* R. Wong (ed.), *Asymptotic and Computational Analysis*, Marcel Dekker, New York, pp. 741–749.

Wood, D.: 1984, Rational-Fourier-series approximation for periodic boundary-value problems, *IMA Journal of Applied Mathematics* **33**, 229–244.

Yanase, S. and Nishiyama, K.: 1988, On the bifurcation of laminar flows through a curved rectangular tube, *Journal of the Physical Society of Japan* **57**, 3790–3795. [Compute two-dimensional steady flow via a simple, non-Newtonian iteration that requires inverting only the Chebyshev pseudospectral matrix for the Laplace operator.].

Yang, T.-S. and Akylas, T. R.: 1996a, Weakly nonlocal gravity-capillary solitary waves, *Physics of Fluids* **8**, 1506–1514.

Yang, T. S. and Akylas, T. R.: 1996b, Finite-amplitude effects on steady lee-wave patterns in subcritical stratified flow over topography, *Journal of Fluid Mechanics* **308**, 147–170. submitted.

Yang, T. S. and Akylas, T. R.: 1997, On asymmetric gravity-capillary solitary waves, *Journal of Fluid Mechanics*. in press.

Yao, H. B., Zabusky, N. J. and Dritschel, D. G.: 1995, High gradient phenomena in two-dimensional vortex interactions, *Phys. Fluids* **7**, 539–548. [Show that high-resolution pseudospectral methods are inferior, for resolving steep vorticity fronts and thin filaments, to the contour dynamics. Of course, the contour dynamics algorithm represents the vor[icity by eight layers of constant vorticity with piecewise jumps in between them so that it is, in the usual terms, only a first order method.].

Yih, C.-S.: 1968, *Fluid Mechanics*, West River Press, Ann Arbor. Not spectral; classic text.

Zangwill, W. I. and Garcia, C. B.: 1981, *Pathways to Solutions, Fixed Points, and Equilibria*, Computational Mathematics, Prentice-Hall, Englewood Cliffs, New Jersey. Very readable introduction to continuation methods for solving systems of nonlinear equations. Title page lists Zangwill first but spine lists Garcia first.

Zaslavsky, G. M., Sagdeev, R. Z., Usikov, D. A. and Chernikov, A. A.: 1991, *Weak Chaos and Quasi-Regular Patterns*, Cambridge University Press, New York.