

ARTICLES ON IMPACT OF VISIBLE DIFFERENCE

Arndt, E. M., A. Lefebvre, et al. (1986). "Fact and fantasy: psychosocial consequences of facial surgery in 24 Down syndrome children." *Br J Plast Surg* 39(4): 498-504.

Arndt, E. M., F. Travis, et al. (1987). "Psychosocial adjustment of 20 patients with Treacher Collins syndrome before and after reconstructive surgery." *Br J Plast Surg* 40(6): 605-9.

Arndt, E. M., F. Travis, et al. (1986). "Beauty and the eye of the beholder: social consequences and personal adjustments for facial patients." *Br J Plast Surg* 39(1): 81-4.

Beale, S., G. Hambert, et al. (1985). "Augmentation mammoplasty: the surgical and psychological effects of the operation and prediction of the result." *Ann Plast Surg* 14(6): 473-93.

Ben-Tovim, D. I. and M. K. Walker (1995). "Body image, disfigurement and disability." *Journal of Psychosomatic Research* 39(3): 283-291.

Benrud-Larson, L. M., L. J. Heinberg, et al. (2003). "Body Image Dissatisfaction Among Women With Scleroderma: Extent and Relationship to Psychosocial Function." *Health Psychology* 22(2): 130-139.

Bernstein, N. R. and K. Kapp (1981). "Adolescents with cleft palate: body-image and psychosocial problems." *Psychosomatics* 22(8): 697-703.

Bolton, M. A., T. Pruzinsky, et al. (2003). "Measuring outcomes in plastic surgery: body image and quality of life in abdominoplasty patients." *Plast Reconstr Surg* 112(2): 619-25; discussion 626-7.

Bradbury, E. T. and J. Hewison (1994). "Early parental adjustment to visible congenital disfigurement." *Child Care Health Dev* 20(4): 251-66.

Bradbury, E. T., J. Hewison, et al. (1992). "Psychological and social outcome of prominent ear correction in children." *Br J Plast Surg* 45(2): 97-100.

Bradbury, E. T., S. P. Kay, et al. (1994). "The psychological impact of microvascular free toe transfer for children and their parents." *J Hand Surg [Br]* 19(6): 689-95.

Broder, H. and R. P. Strauss (1989). "Self-concept of early primary school age children with visible or invisible defects." *Cleft Palate J* 26(2): 114-7; discussion 117-8.

Broder, H. L. (1997). "Psychological research of children with craniofacial anomalies: review, critique, and implications for the future." *Cleft Palate Craniofac J* 34(5): 402-4.

- Broder, H. L. (2001). "Using psychological assessment and therapeutic strategies to enhance well-being." *Cleft Palate Craniofac J* 38(3): 248-54.
- Broder, H. L., F. B. Smith, et al. (1994). "Effects of visible and invisible orofacial defects on self-perception and adjustment across developmental eras and gender." *Cleft Palate Craniofac J* 31(6): 429-36.
- Broder, H. L., F. B. Smith, et al. (2001). "Developing a behavior rating scale for comparing teachers' ratings of children with and without craniofacial anomalies." *Cleft Palate Craniofac J* 38(6): 560-5.
- Burgoyne, R. W., J. M. Goin, et al. (1977). "Intraoperative psychological reactions in face-lift patients under local anesthesia." *Plast Reconstr Surg* 60(4): 582-8.
- Callahan, C. (2004). "Facial disfigurement and sense of self in head and neck cancer." *Soc Work Health Care* 40(2): 73-87.
- Carver, C. S., C. Pozo-Kaderman, et al. (1998). "Concern about aspects of body image and adjustment to early stage breast cancer." *Psychosom Med* 60(2): 168-74.
- Cash, T. F., M. T. Santos, et al. (2005). "Coping with body-image threats and challenges: validation of the Body Image Coping Strategies Inventory." *Journal of Psychosomatic Research* 58(2): 190.
- Charlton, R., N. Rumsey, et al. (2003). "Disfigurement--neglected in primary care?" *Br J Gen Pract* 53(486): 6-8.
- Christensen, K. and P. B. Mortensen (2002). "Facial clefting and psychiatric diseases: a follow-up of the Danish 1936-1987 Facial Cleft cohort." *Cleft Palate Craniofac J* 39(4): 392-6.
- Clarke, A. and C. Cooper (2001). "Psychological rehabilitation after disfiguring injury or disease: investigating the training needs of specialist nurses." *J Adv Nurs* 34(1): 18-26.
- Clarke, A. and C. Psychol (2001). "Managing the psychological aspects of altered appearance: the development of an information resource for people with disfiguring conditions." *Patient Educ Couns* 43(3): 305-9.
- Clarke, A., N. Rumsey, et al. (2003). "Psychosocial distress associated with disfiguring eye conditions." *Eye* 17(1): 35-40.
- Cornwell, C. J. and M. H. Schmitt (1990). "Perceived health status, self-esteem and body image in women with rheumatoid arthritis or systemic lupus erythematosus." *Res Nurs Health* 13(2): 99-107.

Davies, E. and A. Furnham (1986). "Body satisfaction in adolescent girls." *Br J Med Psychol* 59(Pt 3): 279-87.

Didie, E. R. and D. B. Sarwer (2003). "Factors that influence the decision to undergo cosmetic breast augmentation surgery." *J Womens Health (Larchmt)* 12(3): 241-53.

DiMack, P. (2002). "Jamie's story: the man who lost his face." *J Clin Ethics* 13(2): 147-51.

Dixon, J. A., R. H. Roterling, et al. (1984). "Patient's evaluation of argon laser therapy of port wine stain, decorative tattoo, and essential telangiectasia." *Lasers Surg Med* 4(2): 181-90.

Edwards, T. C., D. L. Patrick, et al. (2005). "Approaches to craniofacial-specific quality of life assessment in adolescents." *Cleft Palate Craniofac J* 42(1): 19-24.

Fauerbach, J. A., L. J. Heinberg, et al. (2002). "Coping With Body Image Changes Following a Disfiguring Burn Injury." *Health Psychology* 21(2): 115-121.

Foster, G. D., T. A. Wadden, et al. (2001). "Obese patients' perceptions of treatment outcomes and the factors that influence them." *Arch Intern Med* 161(17): 2133-9.

Giroto, J. A., E. MacKenzie, et al. (2001). "Long-term physical impairment and functional outcomes after complex facial fractures." *Plast Reconstr Surg* 108(2): 312-27.

Glatt, B. S., D. B. Sarwer, et al. (1999). "A retrospective study of changes in physical symptoms and body image after reduction mammoplasty." *Plast Reconstr Surg* 103(1): 76-82; discussion 83-5.

Glynn, S. M., J. R. Asarnow, et al. (2003). "The development of acute post-traumatic stress disorder after orofacial injury: a prospective study in a large urban hospital." *J Oral Maxillofac Surg* 61(7): 785-92.

Goin, M. K. (1977). "Psychological understanding and management of rhinoplasty patients." *Clin Plast Surg* 4(1): 3-7.

Goin, M. K. (1982). "Psychological reactions to surgery of the breast." *Clin Plast Surg* 9(3): 347-54.

Goin, M. K., R. W. Burgoyne, et al. (1980). "A prospective psychological study of 50 female face-lift patients." *Plast Reconstr Surg* 65(4): 436-42.

Goin, M. K. and J. M. Goin (1981). "Midlife reactions to mastectomy and subsequent breast reconstruction." *Arch Gen Psychiatry* 38(2): 225-7.

Goin, M. K. and J. M. Goin (1982). "Psychological reactions to prophylactic mastectomy synchronous with contralateral breast reconstruction." *Plast Reconstr Surg* 70(3): 355-9.

Goin, M. K. and J. M. Goin (1986). "Psychological effects of aesthetic facial surgery." *Adv Psychosom Med* 15: 84-108.

Goin, M. K., J. M. Goin, et al. (1977). "The psychic consequences of a reduction mammoplasty." *Plast Reconstr Surg* 59(4): 530-4.

Goin, M. K. and T. D. Rees (1991). "A prospective study of patients' psychological reactions to rhinoplasty." *Ann Plast Surg* 27(3): 210-5.

Grossbart, T. A. and D. B. Sarwer (1999). "Cosmetic surgery: surgical tools-- psychosocial goals." *Semin Cutan Med Surg* 18(2): 101-11.

Grossbart, T. A. and D. B. Sarwer (2003). "Psychosocial issues and their relevance to the cosmetic surgery patient." *Semin Cutan Med Surg* 22(2): 136-47.

Harris, D. L. and A. T. Carr (2001). "The Derriford Appearance Scale (DAS59): a new psychometric scale for the evaluation of patients with disfigurements and aesthetic problems of appearance." *British Journal of Plastic Surgery* 54(3): 216-222.

Hay, G. G. (1970). "Psychiatric aspects of cosmetic nasal operations." *Br J Psychiatry* 116(530): 85-97.

Heinberg, L. J., J. K. Thompson, et al. (1995). "Development and validation of the Sociocultural Attitudes Towards Appearance Questionnaire." *Int J Eat Disord* 17(1): 81-9.

Hilbert, A. and B. Tuschen-Caffier (2004). "Body image interventions in cognitive-behavioural therapy of binge-eating disorder: a component analysis." *Behav Res Ther* 42(11): 1325-39.

Hull, A. M., T. Lowe, et al. (2003). "Psychological consequences of maxillofacial trauma: a preliminary study." *Br J Oral Maxillofac Surg* 41(5): 317-22.

Hull, A. M., T. Lowe, et al. (2003). "The psychological impact of maxillofacial trauma: an overview of reactions to trauma." *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 95(5): 515-20.

Kalick, S. M. (1978). "Toward an interdisciplinary psychology of appearances." *Psychiatry* 41(3): 243-53.

Kalick, S. M. (1979). "Aesthetic surgery: how it affects the way patients are perceived by others." *Ann Plast Surg* 2(2): 128-34.

Kalick, S. M. (1982). "Clinician, social scientist, and body image. Collaboration and future prospects." *Clin Plast Surg* 9(3): 379-85.

Kalick, S. M., R. M. Goldwyn, et al. (1981). "Social issues and body image concerns of port wine stain patients undergoing laser therapy." *Lasers Surg Med* 1(3): 205-13.

Kapp-Simon, K. A., D. E. McGuire, et al. (2005). "Addressing Quality of Life Issues in Adolescents: Social Skills Interventions." *Cleft Palate Craniofac J* 42(1): 45-50.

Kapp, K. (1979). "Self concept of the cleft lip and or palate child." *Cleft Palate J* 16(2): 171-6.

Kleve, L., N. Rumsey, et al. (2002). "The effectiveness of cognitive-behavioural interventions provided at Outlook: a disfigurement support unit." *J Eval Clin Pract* 8(4): 387-95.

Koot, H. M., F. de Waard-van der Spek, et al. (2000). "Psychosocial sequelae in 29 children with giant congenital melanocytic naevi." *Clin Exp Dermatol* 25(8): 589-93.

Kostanski, M. and E. Gullone (1998). "Adolescent body image dissatisfaction: relationships with self-esteem, anxiety, and depression controlling for body mass." *J Child Psychol Psychiatry* 39(2): 255-62.

Kunkel, E. J. S., C. Rodgers, et al. (1995). "Treating the Patient Who Is Disfigured by Head and Neck Cancer." *General Hospital Psychiatry* 17(6): 444-450.

La Greca, A. M., K. J. Bearman, et al. (2002). "Peer relations of youth with pediatric conditions and health risks: promoting social support and healthy lifestyles." *J Dev Behav Pediatr* 23(4): 271-80.

Lanigan, S. W. and J. A. Cotterill (1989). "Psychological disabilities amongst patients with port wine stains." *Br J Dermatol* 121(2): 209-15.

Lansdown, R., N. Rumsey, et al. (1997). *Visibly Different*. Oxford, England, Butterworth-Heinemann.

Lawrence, J. W., J. A. Fauerbach, et al. (2004). "Visible vs hidden scars and their relation to body esteem." *J Burn Care Rehabil* 25(1): 25-32.

Lefebvre, A. and S. Barclay (1982). "Psychosocial impact of craniofacial deformities before and after reconstructive surgery." *Can J Psychiatry* 27(7): 579-84.

Lefebvre, A. and I. Munro (1978). "The role of psychiatry in a craniofacial team." *Plast Reconstr Surg* 61(4): 564-9.

Lefebvre, A., F. Travis, et al. (1986). "A psychiatric profile before and after reconstructive surgery in children with Apert's syndrome." *Br J Plast Surg* 39(4): 510-3.

Lefebvre, A. M. and E. M. Arndt (1988). "Working with facially disfigured children: a challenge in prevention." *Can J Psychiatry* 33(6): 453-8.

Leonard, B. J. (1972). "Body image changes in chronic illness." *Nurs Clin North Am* 7(4): 687-95.

Leonard, B. J., J. D. Brust, et al. (1991). "Self-concept of children and adolescents with cleft lip and/or palate." *Cleft Palate Craniofac J* 28(4): 347-53.

Levine, E., L. Degutis, et al. (2005). "Quality of life and facial trauma: psychological and body image effects." *Ann Plast Surg* 54(5): 502-10.

Locker, D., A. Jokovic, et al. (2005). "Health-related quality of life of children aged 11 to 14 years with orofacial conditions." *Cleft Palate Craniofac J* 42(3): 260-6.

Long, S. A., L. L. D'Antonio, et al. (1996). "Factors related to quality of life and functional status in 50 patients with head and neck cancer." *Laryngoscope* 106(9 Pt 1): 1084-8.

Lovegrove, E. and N. Rumsey (2005). "Ignoring it doesn't make it stop: adolescents, appearance, and bullying." *Cleft Palate Craniofac J* 42(1): 33-44.

Magge, S. N., M. Westerveld, et al. (2002). "Long-term neuropsychological effects of sagittal craniosynostosis on child development." *J Craniofac Surg* 13(1): 99-104.

Martin, C. R. and R. J. Newell (2005). "The factor structure of the 12-item General Health Questionnaire in individuals with facial disfigurement." *J Psychosom Res* 59(4): 193-9.

Morris, P. J., J. A. Bradley, et al. (2004). "Facial transplantation: a working party report from the Royal College of Surgeons of England." *Transplantation* 77(3): 330-8.

Murray, C. D. and K. Rhodes (2005). "'Nobody likes damaged goods': the experience of adult visible acne." *Br J Health Psychol* 10(Pt 2): 183-202.

Newell, R. (2000). *Body Image and Disfigurement Care*. New York, NY, Routledge.

Newell, R. (2000). "Psychological difficulties amongst plastic surgery ex-patients following surgery to the face: a survey." *British Journal of Plastic Surgery* 53(5): 386-392.

Newell, R. (2002). "The fear-avoidance model: helping patients to cope with disfigurement." *Nurs Times* 98(16): 38-9.

- Newell, R. (2002). "Living with disfigurement." *Nurs Times* 98(15): 34-5.
- Newell, R. (2002). "Terminal illness and body image." *Nurs Times* 98(14): 36-7.
- Newell, R. and M. Clarke (2000). "Evaluation of a self-help leaflet in treatment of social difficulties following facial disfigurement." *Int J Nurs Stud* 37(5): 381-8.
- Newell, R. and I. Marks (2000). "Phobic nature of social difficulty in facially disfigured people." *Br J Psychiatry* 176: 177-81.
- Newton, J. T. and G. Minhas (2005). "Exposure to 'ideal' facial images reduces facial satisfaction: an experimental study." *Community Dent Oral Epidemiol* 33(6): 410-8.
- Partridge, J. and N. Rumsey (2003). "Skin scarring: new insights may make adjustment easier." *Bmj* 326(7392): 765.
- Pertschuk, M. J., D. B. Sarwer, et al. (1998). "Body image dissatisfaction in male cosmetic surgery patients." *Aesthetic Plast Surg* 22(1): 20-4.
- Pertschuk, M. J. and L. A. Whitaker (1982). "Social and psychological effects of craniofacial deformity and surgical reconstruction." *Clin Plast Surg* 9(3): 297-306.
- Pertschuk, M. J. and L. A. Whitaker (1985). "Psychosocial adjustment and craniofacial malformations in childhood." *Plast Reconstr Surg* 75(2): 177-84.
- Pertschuk, M. J. and L. A. Whitaker (1987). "Psychosocial considerations in craniofacial deformity." *Clin Plast Surg* 14(1): 163-8.
- Pertschuk, M. J. and L. A. Whitaker (1988). "Psychosocial outcome of craniofacial surgery in children." *Plast Reconstr Surg* 82(5): 741-6.
- Pope, A. W. and H. T. Snyder (2005). "Psychosocial adjustment in children and adolescents with a craniofacial anomaly: age and sex patterns." *Cleft Palate Craniofac J* 42(4): 349-54.
- Pope, A. W., K. Tillman, et al. (2005). "Parenting stress in infancy and psychosocial adjustment in toddlerhood: a longitudinal study of children with craniofacial anomalies." *Cleft Palate Craniofac J* 42(5): 556-9.
- Pruzinsky, T. (1993). "Psychological factors in cosmetic plastic surgery: recent developments in patient care." *Plast Surg Nurs* 13(2): 64-9, 119.
- Pruzinsky, T. (1997). "Who chooses to undergo reconstructive surgery? Empirically confirming the subjectivity and social basis of body image." *J Burn Care Rehabil* 18(4): 372-4.

Pruzinsky, T. (1998). "Rehabilitation challenges for burn survivors with residual disfigurement: promising directions for intervention, research, and collaboration." *J Burn Care Rehabil* 19(2): 169-73.

Rankin, M. and G. L. Borah (1997). "Anxiety disorders in plastic surgery." *Plast Reconstr Surg* 100(2): 535-42.

Rankin, M., G. L. Borah, et al. (1998). "Quality-of-life outcomes after cosmetic surgery." *Plast Reconstr Surg* 102(6): 2139-45; discussion 2146-7.

Rierdan, J. and E. Koff (1997). "Weight, weight-related aspects of body image, and depression in early adolescent girls." *Adolescence* 32(127): 615-24.

Robinson, E., N. Rumsey, et al. (1996). "An evaluation of the impact of social interaction skills training for facially disfigured people." *Br J Plast Surg* 49(5): 281-9.

Roccia, F., A. Dell'Acqua, et al. (2005). "Maxillofacial trauma and psychiatric sequelae: post-traumatic stress disorder." *J Craniofac Surg* 16(3): 355-60.

Rumsey, N. (2004). "Psychological aspects of face transplantation: read the small print carefully." *Am J Bioeth* 4(3): 22-5; discussion W23-31.

Rumsey, N., A. Clarke, et al. (2002). "Altered body image: the psychosocial needs of patients." *Br J Community Nurs* 7(11): 563-6.

Rumsey, N., A. Clarke, et al. (2003). "Exploring the psychosocial concerns of outpatients with disfiguring conditions." *J Wound Care* 12(7): 247-52.

Rumsey, N., A. Clarke, et al. (2004). "Altered body image: appearance-related concerns of people with visible disfigurement." *J Adv Nurs* 48(5): 443-53.

Rusch, M. D., B. K. Grunert, et al. (2000). "Psychological adjustment in children after traumatic disfiguring injuries: a 12-month follow-up." *Plast Reconstr Surg* 106(7): 1451-8; discussion 1459-60.

Sarwer, D. B. (1997). "The "obsessive" cosmetic surgery patient: a consideration of body image dissatisfaction and body dysmorphic disorder." *Plast Surg Nurs* 17(4): 193-7, 209; quiz 198-9.

Sarwer, D. B. (1997). "The "obsessive" cosmetic surgery patient: a consideration of body image dissatisfaction and body dysmorphic disorder." *Plast Surg Nurs* 17(4): 193-7, 209; quiz 198-9.

Sarwer, D. B. (1998). "Re: Psychological characteristics of women who undergo single and multiple cosmetic surgeries." *Ann Plast Surg* 40(3): 309-10.

Sarwer, D. B., S. P. Bartlett, et al. (1998). "Bigger is not always better: body image dissatisfaction in breast reduction and breast augmentation patients." *Plast Reconstr Surg* 101(7): 1956-61; discussion 1962-3.

Sarwer, D. B., S. P. Bartlett, et al. (1999). "Adult psychological functioning of individuals born with craniofacial anomalies." *Plast Reconstr Surg* 103(2): 412-8.

Sarwer, D. B. and C. E. Crerand (2002). "Psychological issues in patient outcomes." *Facial Plast Surg* 18(2): 125-33.

Sarwer, D. B., C. E. Crerand, et al. (2003). "Body dysmorphic disorder in cosmetic surgery patients." *Facial Plast Surg* 19(1): 7-18.

Sarwer, D. B., B. S. Glatt, et al. (1999). "Changes in physical symptoms and body image after reduction mammoplasty: response to a discussion." *Plast Reconstr Surg* 104(2): 590-1.

Sarwer, D. B., T. A. Grossbart, et al. (2003). "Beauty and society." *Semin Cutan Med Surg* 22(2): 79-92.

Sarwer, D. B., D. LaRossa, et al. (2003). "Body image concerns of breast augmentation patients." *Plast Reconstr Surg* 112(1): 83-90.

Sarwer, D. B., J. E. Nordmann, et al. (2000). "Cosmetic breast augmentation surgery: a critical overview." *J Womens Health Gend Based Med* 9(8): 843-56.

Sarwer, D. B., M. J. Pertschuk, et al. (1998). "Psychological investigations in cosmetic surgery: a look back and a look ahead." *Plast Reconstr Surg* 101(4): 1136-42.

Sarwer, D. B., T. A. Wadden, et al. (1998). "Assessment of body image dissatisfaction in obese women: specificity, severity, and clinical significance." *J Consult Clin Psychol* 66(4): 651-4.

Sarwer, D. B., T. A. Wadden, et al. (1998). "Body image dissatisfaction and body dysmorphic disorder in 100 cosmetic surgery patients." *Plast Reconstr Surg* 101(6): 1644-9.

Sarwer, D. B., T. A. Wadden, et al. (1998). "The psychology of cosmetic surgery: a review and reconceptualization." *Clin Psychol Rev* 18(1): 1-22.

Sarwer, D. B., T. A. Wadden, et al. (2002). "An investigation of changes in body image following cosmetic surgery." *Plast Reconstr Surg* 109(1): 363-9; discussion 370-1.

Sarwer, D. B., L. A. Whitaker, et al. (1998). "Body image concerns of reconstructive surgery patients: an underrecognized problem." *Ann Plast Surg* 40(4): 403-7.

Sheerin, D., M. MacLeod, et al. (1995). "Psychosocial adjustment in children with port-wine stains and prominent ears." *J Am Acad Child Adolesc Psychiatry* 34(12): 1637-47.

Shetty, V., D. M. Dent, et al. (2003). "Psychosocial sequelae and correlates of orofacial injury." *Dent Clin North Am* 47(1): 141-57, xi.

Simis, K. J., S. E. Hovius, et al. (2002). "After plastic surgery: adolescent-reported appearance ratings and appearance-related burdens in patient and general population groups." *Plast Reconstr Surg* 109(1): 9-17.

Simis, K. J., J. M. Koot, et al. (2000). "Assessing adolescents and young girls for plastic surgical intervention: pre-surgical appearance ratings and appearance-related burdens as reported by adolescents and young adults, parents and surgeons." *Br J Plast Surg* 53(7): 593-600.

Simis, K. J., F. C. Verhulst, et al. (2001). "Body image, psychosocial functioning, and personality: how different are adolescents and young adults applying for plastic surgery?" *J Child Psychol Psychiatry* 42(5): 669-78.

Sinko, K., R. Jagsch, et al. (2005). "Evaluation of esthetic, functional, and quality-of-life outcome in adult cleft lip and palate patients." *Cleft Palate Craniofac J* 42(4): 355-61.

Slifer, K. J., A. Amari, et al. (2004). "Social interaction patterns of children and adolescents with and without oral clefts during a videotaped analogue social encounter." *Cleft Palate Craniofac J* 41(2): 175-84.

Slifer, K. J., V. Pulbrook, et al. (2006). "Social acceptance and facial behavior in children with oral clefts." *Cleft Palate Craniofac J* 43(2): 226-36.

Snyder, H. T., M. J. Bilboul, et al. (2005). "Psychosocial adjustment in adolescents with craniofacial anomalies: a comparison of parent and self-reports." *Cleft Palate Craniofac J* 42(5): 548-55.

Strauss, R. P. and H. Broder (1985). "Interdisciplinary team care of cleft lip and palate: social and psychological aspects." *Clin Plast Surg* 12(4): 543-51.

Tartaglia, A., B. T. McMahon, et al. (2005). "Workplace discrimination and disfigurement: the national EEOC ADA research project." *Work* 25(1): 57-65.

Thompson, A. and G. Kent (2001). "Adjusting to disfigurement: processes involved in dealing with being visibly different." *Clinical Psychology Review* 21(5): 663.

Thompson, J. K., M. D. Covert, et al. (1995). "Development of body image, eating disturbance, and general psychological functioning in female adolescents: covariance structure modeling and longitudinal investigations." *Int J Eat Disord* 18(3): 221-36.

Tiemens, K., H. L. Beveridge, et al. (2006). "A therapeutic camp weekend for adolescents with craniofacial differences." *Cleft Palate Craniofac J* 43(1): 44-6.

Topolski, T. D., T. C. Edwards, et al. (2005). "Quality of life: how do adolescents with facial differences compare with other adolescents?" *Cleft Palate Craniofac J* 42(1): 25-32.

Turner, S. R., N. Rumsey, et al. (1998). "Psychological aspects of cleft lip and palate." *Eur J Orthod* 20(4): 407-15.

Valente, S. M. R. P. F. (2004). "Visual Disfigurement and Depression." *Plast Surg Nurs* 24(4): 140-146.

Venot, M. G. (1998). "A plastic surgery literature review to assist in the management of patients seeking elective esthetic dental treatments." *Dent Clin North Am* 42(4): 789-98, xi.

Wadden, T. A., R. I. Berkowitz, et al. (2001). "Benefits of lifestyle modification in the pharmacologic treatment of obesity: a randomized trial." *Arch Intern Med* 161(2): 218-27.

Wadden, T. A., D. B. Sarwer, et al. (2001). "Psychosocial aspects of obesity and obesity surgery." *Surg Clin North Am* 81(5): 1001-24.

Warschausky, S., J. B. Kay, et al. (2002). "Health-related quality of life in children with craniofacial anomalies." *Plast Reconstr Surg* 110(2): 409-14; discussion 415-6.

Willebrand, M., B. Wikehult, et al. (2005). "Social desirability, psychological symptoms, and perceived health in burn injured patients." *J Nerv Ment Dis* 193(12): 820-4.

Wright, M. R. (1987). "The male aesthetic patient." *Arch Otolaryngol Head Neck Surg* 113(7): 724-7.

Wright, M. R. (1988). "The psychology of rhinoplasty." *Facial Plast Surg* 5(2): 109-13.