

PROBLEM SET 5 (POSTED ON THURSDAY, OCT 2)

(All Exercises are references to the September 8, 2024 version of *Foundations of Algebraic Geometry* by R. Vakil.)

- Problem 1.** Exercise 5.1.B (irreducible closed subsets of general schemes are closures of points)
- Problem 2.** Suppose $f \in k[x_1, \dots, x_n]$ is a polynomial and let $X = \operatorname{Spec} k[x_1, \dots, x_n]/f$. Prove that if X is irreducible and non-reduced, then X is not reduced at any point.
- Problem 3.** Exercise 5.1.E (quasicompact schemes have closed points)
- Problem 4.** Let k be a field. Let $X = \operatorname{Spec} \mathbb{Z}[x, y]/xy$. There is a natural map $X(k[\epsilon]/\epsilon^2) \rightarrow X(k)$, where $X(A)$ is the set of A -valued points of X (i.e. morphisms from $\operatorname{Spec} A$ to X) - figure out how to define it. Compute the fibers of this map - you should find that for any $p \in X(k)$, the points in the fiber above p look like a k -vector space. What is the rank of this vector space, as a function of p ? (This is a preview of the notion of the *tangent space* to a scheme at a point.)
- Problem 5.** Let X be a k -scheme. Prove (as claimed in class) that the natural map $X(k) \rightarrow X$ sending a morphism (of k -schemes) $\operatorname{Spec} k \rightarrow X$ to its image point is injective and has image equal to the set of closed points $p \in X$ with residue field $k_p = k$.
- Problem 6.** Exercise 8.1.D (fiber products of open embeddings - there is a discussion of fiber products in Section 1.2.6)